

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 10 ガラス室 I 類

共済掛金標準率: 1.694 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 2.551 | 2.551 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 2.508 | 2.508 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 2.465 | 2.465 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 2.423 | 2.423 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 2.380 | 2.380 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 2.337 | 2.337 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 2.294 | 2.294 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 2.251 | 2.251 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 2.208 | 2.208 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 2.165 | 2.165 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 2.122 | 2.122 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 2.080 | 2.080 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 2.037 | 2.037 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 1.994 | 1.994 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 1.951 | 1.951 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 1.908 | 1.908 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 1.865 | 1.865 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 1.822 | 1.822 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 1.779 | 1.779 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 1.737 | 1.737 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 1.694 | 1.694 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 1.651 | 1.651 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 1.608 | 1.608 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 1.565 | 1.565 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 1.522 | 1.522 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 1.479 | 1.479 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 1.437 | 1.437 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 1.394 | 1.394 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 1.351 | 1.351 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 1.308 | 1.308 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 1.265 | 1.265 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 1.222 | 1.222 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 1.179 | 1.179 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 1.136 | 1.136 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 1.094 | 1.094 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 1.051 | 1.051 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 1.008 | 1.008 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 0.965 | 0.965 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 0.922 | 0.922 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 0.879 | 0.879 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.847 | 0.847 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 10 ガラス室I類

共済掛金標準率: 1.694 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 2.423 | 2.423 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 2.383 | 2.383 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 2.342 | 2.342 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 2.302 | 2.302 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 2.261 | 2.261 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 2.220 | 2.220 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 2.179 | 2.179 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 2.138 | 2.138 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 2.098 | 2.098 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 2.057 | 2.057 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 2.016 | 2.016 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 1.976 | 1.976 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 1.935 | 1.935 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 1.894 | 1.894 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 1.853 | 1.853 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 1.813 | 1.813 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 1.772 | 1.772 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 1.731 | 1.731 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 1.690 | 1.690 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 1.650 | 1.650 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 1.609 | 1.609 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 1.568 | 1.568 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 1.528 | 1.528 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 1.487 | 1.487 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 1.446 | 1.446 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 1.405 | 1.405 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 1.365 | 1.365 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 1.324 | 1.324 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 1.283 | 1.283 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 1.243 | 1.243 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 1.202 | 1.202 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 1.161 | 1.161 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 1.120 | 1.120 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 1.079 | 1.079 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 1.039 | 1.039 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 0.998 | 0.998 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 0.958 | 0.958 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 0.917 | 0.917 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 0.876 | 0.876 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 0.835 | 0.835 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.805 | 0.805 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 10 ガラス室I類

共済掛金標準率: 1.163 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 1.752 | 1.752 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 1.722 | 1.722 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 1.693 | 1.693 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 1.663 | 1.663 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 1.634 | 1.634 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 1.604 | 1.604 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 1.575 | 1.575 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 1.545 | 1.545 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 1.516 | 1.516 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 1.487 | 1.487 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 1.457 | 1.457 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 1.428 | 1.428 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 1.398 | 1.398 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 1.369 | 1.369 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 1.339 | 1.339 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 1.310 | 1.310 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 1.281 | 1.281 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 1.251 | 1.251 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 1.222 | 1.222 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 1.192 | 1.192 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 1.163 | 1.163 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 1.133 | 1.133 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 1.104 | 1.104 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 1.075 | 1.075 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 1.045 | 1.045 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 1.016 | 1.016 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 0.986 | 0.986 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 0.957 | 0.957 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 0.927 | 0.927 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 0.898 | 0.898 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 0.868 | 0.868 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 0.839 | 0.839 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 0.810 | 0.810 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 0.780 | 0.780 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 0.751 | 0.751 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 0.721 | 0.721 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 0.692 | 0.692 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 0.662 | 0.662 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 0.633 | 0.633 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 0.604 | 0.604 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.581 | 0.581 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 10 ガラス室 I 類

共済掛金標準率: 1.163 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 1.664 | 1.664 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 1.636 | 1.636 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 1.608 | 1.608 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 1.580 | 1.580 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 1.552 | 1.552 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 1.524 | 1.524 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 1.496 | 1.496 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 1.468 | 1.468 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 1.440 | 1.440 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 1.413 | 1.413 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 1.384 | 1.384 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 1.357 | 1.357 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 1.328 | 1.328 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 1.301 | 1.301 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 1.272 | 1.272 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 1.245 | 1.245 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 1.217 | 1.217 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 1.188 | 1.188 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 1.161 | 1.161 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 1.132 | 1.132 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 1.105 | 1.105 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 1.076 | 1.076 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 1.049 | 1.049 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 1.021 | 1.021 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 0.993 | 0.993 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 0.965 | 0.965 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 0.937 | 0.937 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 0.909 | 0.909 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 0.881 | 0.881 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 0.853 | 0.853 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 0.825 | 0.825 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 0.797 | 0.797 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 0.770 | 0.770 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 0.741 | 0.741 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 0.713 | 0.713 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 0.685 | 0.685 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 0.657 | 0.657 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 0.629 | 0.629 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 0.601 | 0.601 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 0.574 | 0.574 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.552 | 0.552 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 10 ガラス室I類

共済掛金標準率: 0.651 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 0.980 | 0.980 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 0.964 | 0.964 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 0.947 | 0.947 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 0.931 | 0.931 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 0.915 | 0.915 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 0.898 | 0.898 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 0.882 | 0.882 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 0.865 | 0.865 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 0.849 | 0.849 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 0.832 | 0.832 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 0.816 | 0.816 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 0.799 | 0.799 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 0.783 | 0.783 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 0.766 | 0.766 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 0.750 | 0.750 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 0.733 | 0.733 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 0.717 | 0.717 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 0.700 | 0.700 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 0.684 | 0.684 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 0.667 | 0.667 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 0.651 | 0.651 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 0.634 | 0.634 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 0.618 | 0.618 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 0.601 | 0.601 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 0.585 | 0.585 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 0.569 | 0.569 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 0.552 | 0.552 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 0.536 | 0.536 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 0.519 | 0.519 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 0.503 | 0.503 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 0.486 | 0.486 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 0.470 | 0.470 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 0.453 | 0.453 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 0.437 | 0.437 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 0.420 | 0.420 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 0.404 | 0.404 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 0.387 | 0.387 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 0.371 | 0.371 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 0.354 | 0.354 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 0.338 | 0.338 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.325 | 0.325 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.651 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 0.931 | 0.931 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 0.916 | 0.916 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 0.900 | 0.900 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 0.884 | 0.884 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 0.869 | 0.869 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 0.853 | 0.853 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 0.838 | 0.838 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 0.822 | 0.822 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 0.807 | 0.807 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 0.790 | 0.790 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 0.775 | 0.775 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 0.759 | 0.759 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 0.744 | 0.744 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 0.728 | 0.728 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 0.713 | 0.713 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 0.696 | 0.696 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 0.681 | 0.681 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 0.665 | 0.665 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 0.650 | 0.650 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 0.634 | 0.634 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 0.618 | 0.618 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 0.602 | 0.602 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 0.587 | 0.587 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 0.571 | 0.571 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 0.556 | 0.556 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 0.541 | 0.541 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 0.524 | 0.524 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 0.509 | 0.509 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 0.493 | 0.493 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 0.478 | 0.478 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 0.462 | 0.462 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 0.447 | 0.447 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 0.430 | 0.430 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 0.415 | 0.415 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 0.399 | 0.399 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 0.384 | 0.384 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 0.368 | 0.368 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 0.352 | 0.352 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 0.336 | 0.336 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 0.321 | 0.321 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.309 | 0.309 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.403 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 0.607 | 0.607 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 0.597 | 0.597 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 0.587 | 0.587 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 0.576 | 0.576 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 0.566 | 0.566 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 0.556 | 0.556 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 0.546 | 0.546 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 0.536 | 0.536 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 0.525 | 0.525 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 0.515 | 0.515 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 0.505 | 0.505 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 0.495 | 0.495 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 0.485 | 0.485 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 0.474 | 0.474 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 0.464 | 0.464 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 0.454 | 0.454 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 0.444 | 0.444 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 0.434 | 0.434 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 0.423 | 0.423 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 0.413 | 0.413 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 0.403 | 0.403 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 0.393 | 0.393 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 0.383 | 0.383 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 0.372 | 0.372 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 0.362 | 0.362 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 0.352 | 0.352 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 0.342 | 0.342 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 0.332 | 0.332 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 0.321 | 0.321 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 0.311 | 0.311 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 0.301 | 0.301 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 0.291 | 0.291 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 0.281 | 0.281 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 0.270 | 0.270 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 0.260 | 0.260 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 0.250 | 0.250 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 0.240 | 0.240 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 0.230 | 0.230 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 0.219 | 0.219 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 0.209 | 0.209 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.201 | 0.201 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.403 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 0.577 | 0.577 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 0.567 | 0.567 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 0.558 | 0.558 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 0.547 | 0.547 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 0.538 | 0.538 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 0.528 | 0.528 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 0.519 | 0.519 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 0.509 | 0.509 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 0.499 | 0.499 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 0.489 | 0.489 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 0.480 | 0.480 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 0.470 | 0.470 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 0.461 | 0.461 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 0.450 | 0.450 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 0.441 | 0.441 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 0.431 | 0.431 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 0.422 | 0.422 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 0.412 | 0.412 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 0.402 | 0.402 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 0.392 | 0.392 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 0.383 | 0.383 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 0.373 | 0.373 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 0.364 | 0.364 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 0.353 | 0.353 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 0.344 | 0.344 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 0.334 | 0.334 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 0.325 | 0.325 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 0.315 | 0.315 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 0.305 | 0.305 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 0.295 | 0.295 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 0.286 | 0.286 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 0.276 | 0.276 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 0.267 | 0.267 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 0.257 | 0.257 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 0.247 | 0.247 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 0.238 | 0.238 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 0.228 | 0.228 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 0.219 | 0.219 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 0.208 | 0.208 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 0.199 | 0.199 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.191 | 0.191 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 10 ガラス室I類

共済掛金標準率: 0.237 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 0.357 | 0.357 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 0.351 | 0.351 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 0.345 | 0.345 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 0.339 | 0.339 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 0.333 | 0.333 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 0.327 | 0.327 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 0.321 | 0.321 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 0.315 | 0.315 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 0.309 | 0.309 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 0.303 | 0.303 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 0.297 | 0.297 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 0.291 | 0.291 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 0.285 | 0.285 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 0.279 | 0.279 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 0.273 | 0.273 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 0.267 | 0.267 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 0.261 | 0.261 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 0.255 | 0.255 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 0.249 | 0.249 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 0.243 | 0.243 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 0.237 | 0.237 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 0.231 | 0.231 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 0.225 | 0.225 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 0.219 | 0.219 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 0.213 | 0.213 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 0.207 | 0.207 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 0.201 | 0.201 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 0.195 | 0.195 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 0.189 | 0.189 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 0.183 | 0.183 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 0.177 | 0.177 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 0.171 | 0.171 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 0.165 | 0.165 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 0.159 | 0.159 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 0.153 | 0.153 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 0.147 | 0.147 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 0.141 | 0.141 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 0.135 | 0.135 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 0.129 | 0.129 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 0.123 | 0.123 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.118 | 0.118 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.237 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 0.339 | 0.339 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 0.333 | 0.333 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 0.328 | 0.328 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 0.322 | 0.322 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 0.316 | 0.316 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 0.311 | 0.311 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 0.305 | 0.305 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 0.299 | 0.299 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 0.294 | 0.294 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 0.288 | 0.288 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 0.282 | 0.282 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 0.276 | 0.276 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 0.271 | 0.271 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 0.265 | 0.265 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 0.259 | 0.259 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 0.254 | 0.254 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 0.248 | 0.248 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 0.242 | 0.242 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 0.237 | 0.237 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 0.231 | 0.231 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 0.225 | 0.225 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 0.219 | 0.219 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 0.214 | 0.214 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 0.208 | 0.208 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 0.202 | 0.202 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 0.197 | 0.197 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 0.191 | 0.191 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 0.185 | 0.185 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 0.180 | 0.180 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 0.174 | 0.174 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 0.168 | 0.168 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 0.162 | 0.162 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 0.157 | 0.157 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 0.151 | 0.151 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 0.145 | 0.145 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 0.140 | 0.140 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 0.134 | 0.134 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 0.128 | 0.128 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 0.123 | 0.123 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 0.117 | 0.117 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.112 | 0.112 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.486 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.44133 | 0.593 | 0.593 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.40507 | 0.584 | 0.584 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.36881 | 0.576 | 0.576 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.33255 | 0.567 | 0.567 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.29629 | 0.558 | 0.558 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.26003 | 0.549 | 0.549 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.22377 | 0.540 | 0.540 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.18751 | 0.532 | 0.532 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.15125 | 0.523 | 0.523 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.11499 | 0.514 | 0.514 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.07873 | 0.505 | 0.505 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.04247 | 0.496 | 0.496 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.00621 | 0.488 | 0.488 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.96995 | 0.479 | 0.479 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.93369 | 0.470 | 0.470 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.89743 | 0.461 | 0.461 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.86117 | 0.452 | 0.452 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.82491 | 0.443 | 0.443 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.78865 | 0.435 | 0.435 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.75239 | 0.426 | 0.426 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.71613 | 0.417 | 0.417 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.67987 | 0.408 | 0.408 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.64361 | 0.399 | 0.399 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.60735 | 0.391 | 0.391 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.57109 | 0.382 | 0.382 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.53483 | 0.373 | 0.373 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.49857 | 0.364 | 0.364 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.46231 | 0.355 | 0.355 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.42605 | 0.347 | 0.347 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.38979 | 0.338 | 0.338 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.35353 | 0.329 | 0.329 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.31727 | 0.320 | 0.320 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.28101 | 0.311 | 0.311 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.24475 | 0.302 | 0.302 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.20849 | 0.294 | 0.294 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.17223 | 0.285 | 0.285 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.13597 | 0.276 | 0.276 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09971 | 0.267 | 0.267 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.06345 | 0.258 | 0.258 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02719 | 0.250 | 0.250 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.243 | 0.243 | |
| 計 | 平均 | | | 111.31501 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.486 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.44133 | 0.563 | 0.563 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.40507 | 0.555 | 0.555 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.36881 | 0.547 | 0.547 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.33255 | 0.539 | 0.539 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.29629 | 0.530 | 0.530 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.26003 | 0.522 | 0.522 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.22377 | 0.513 | 0.513 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.18751 | 0.505 | 0.505 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.15125 | 0.497 | 0.497 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.11499 | 0.488 | 0.488 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.07873 | 0.480 | 0.480 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.04247 | 0.471 | 0.471 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.00621 | 0.464 | 0.464 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.96995 | 0.455 | 0.455 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.93369 | 0.447 | 0.447 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.89743 | 0.438 | 0.438 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.86117 | 0.429 | 0.429 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.82491 | 0.421 | 0.421 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.78865 | 0.413 | 0.413 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.75239 | 0.405 | 0.405 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.71613 | 0.396 | 0.396 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.67987 | 0.388 | 0.388 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.64361 | 0.379 | 0.379 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.60735 | 0.371 | 0.371 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.57109 | 0.363 | 0.363 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.53483 | 0.354 | 0.354 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.49857 | 0.346 | 0.346 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.46231 | 0.337 | 0.337 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.42605 | 0.330 | 0.330 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.38979 | 0.321 | 0.321 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.35353 | 0.313 | 0.313 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.31727 | 0.304 | 0.304 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.28101 | 0.295 | 0.295 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.24475 | 0.287 | 0.287 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.20849 | 0.279 | 0.279 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.17223 | 0.271 | 0.271 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.13597 | 0.262 | 0.262 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09971 | 0.254 | 0.254 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.06345 | 0.245 | 0.245 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02719 | 0.238 | 0.238 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.231 | 0.231 | |
| 計 | 平均 | | | 111.31501 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.485 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.44133 | 0.592 | 0.592 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.40507 | 0.583 | 0.583 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.36881 | 0.574 | 0.574 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.33255 | 0.566 | 0.566 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.29629 | 0.557 | 0.557 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.26003 | 0.548 | 0.548 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.22377 | 0.539 | 0.539 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.18751 | 0.530 | 0.530 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.15125 | 0.522 | 0.522 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.11499 | 0.513 | 0.513 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.07873 | 0.504 | 0.504 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.04247 | 0.495 | 0.495 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.00621 | 0.487 | 0.487 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.96995 | 0.478 | 0.478 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.93369 | 0.469 | 0.469 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.89743 | 0.460 | 0.460 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.86117 | 0.451 | 0.451 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.82491 | 0.443 | 0.443 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.78865 | 0.434 | 0.434 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.75239 | 0.425 | 0.425 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.71613 | 0.416 | 0.416 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.67987 | 0.407 | 0.407 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.64361 | 0.399 | 0.399 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.60735 | 0.390 | 0.390 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.57109 | 0.381 | 0.381 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.53483 | 0.372 | 0.372 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.49857 | 0.363 | 0.363 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.46231 | 0.355 | 0.355 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.42605 | 0.346 | 0.346 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.38979 | 0.337 | 0.337 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.35353 | 0.328 | 0.328 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.31727 | 0.319 | 0.319 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.28101 | 0.311 | 0.311 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.24475 | 0.302 | 0.302 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.20849 | 0.293 | 0.293 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.17223 | 0.284 | 0.284 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.13597 | 0.275 | 0.275 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09971 | 0.267 | 0.267 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.06345 | 0.258 | 0.258 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02719 | 0.249 | 0.249 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.242 | 0.242 | |
| 計 | 平均 | | | 111.31501 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.485 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.44133 | 0.562 | 0.562 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.40507 | 0.554 | 0.554 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.36881 | 0.545 | 0.545 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.33255 | 0.538 | 0.538 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.29629 | 0.529 | 0.529 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.26003 | 0.521 | 0.521 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.22377 | 0.512 | 0.512 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.18751 | 0.504 | 0.504 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.15125 | 0.496 | 0.496 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.11499 | 0.487 | 0.487 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.07873 | 0.479 | 0.479 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.04247 | 0.470 | 0.470 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.00621 | 0.463 | 0.463 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.96995 | 0.454 | 0.454 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.93369 | 0.446 | 0.446 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.89743 | 0.437 | 0.437 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.86117 | 0.428 | 0.428 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.82491 | 0.421 | 0.421 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.78865 | 0.412 | 0.412 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.75239 | 0.404 | 0.404 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.71613 | 0.395 | 0.395 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.67987 | 0.387 | 0.387 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.64361 | 0.379 | 0.379 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.60735 | 0.371 | 0.371 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.57109 | 0.362 | 0.362 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.53483 | 0.353 | 0.353 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.49857 | 0.345 | 0.345 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.46231 | 0.337 | 0.337 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.42605 | 0.329 | 0.329 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.38979 | 0.320 | 0.320 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.35353 | 0.312 | 0.312 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.31727 | 0.303 | 0.303 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.28101 | 0.295 | 0.295 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.24475 | 0.287 | 0.287 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.20849 | 0.278 | 0.278 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.17223 | 0.270 | 0.270 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.13597 | 0.261 | 0.261 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09971 | 0.254 | 0.254 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.06345 | 0.245 | 0.245 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02719 | 0.237 | 0.237 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.230 | 0.230 | |
| 計 | 平均 | | | 111.31501 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.429 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.44133 | 0.524 | 0.524 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.40507 | 0.516 | 0.516 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.36881 | 0.508 | 0.508 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.33255 | 0.500 | 0.500 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.29629 | 0.493 | 0.493 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.26003 | 0.485 | 0.485 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.22377 | 0.477 | 0.477 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.18751 | 0.469 | 0.469 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.15125 | 0.461 | 0.461 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.11499 | 0.454 | 0.454 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.07873 | 0.446 | 0.446 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.04247 | 0.438 | 0.438 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.00621 | 0.430 | 0.430 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.96995 | 0.423 | 0.423 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.93369 | 0.415 | 0.415 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.89743 | 0.407 | 0.407 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.86117 | 0.399 | 0.399 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.82491 | 0.391 | 0.391 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.78865 | 0.384 | 0.384 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.75239 | 0.376 | 0.376 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.71613 | 0.368 | 0.368 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.67987 | 0.360 | 0.360 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.64361 | 0.353 | 0.353 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.60735 | 0.345 | 0.345 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.57109 | 0.337 | 0.337 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.53483 | 0.329 | 0.329 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.49857 | 0.321 | 0.321 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.46231 | 0.314 | 0.314 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.42605 | 0.306 | 0.306 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.38979 | 0.298 | 0.298 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.35353 | 0.290 | 0.290 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.31727 | 0.283 | 0.283 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.28101 | 0.275 | 0.275 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.24475 | 0.267 | 0.267 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.20849 | 0.259 | 0.259 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.17223 | 0.251 | 0.251 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.13597 | 0.244 | 0.244 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09971 | 0.236 | 0.236 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.06345 | 0.228 | 0.228 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02719 | 0.220 | 0.220 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.214 | 0.214 | |
| 計 | 平均 | | | 111.31501 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.429 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.44133 | 0.498 | 0.498 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.40507 | 0.490 | 0.490 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.36881 | 0.483 | 0.483 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.33255 | 0.475 | 0.475 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.29629 | 0.468 | 0.468 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.26003 | 0.461 | 0.461 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.22377 | 0.453 | 0.453 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.18751 | 0.446 | 0.446 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.15125 | 0.438 | 0.438 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.11499 | 0.431 | 0.431 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.07873 | 0.424 | 0.424 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.04247 | 0.416 | 0.416 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.00621 | 0.409 | 0.409 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.96995 | 0.402 | 0.402 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.93369 | 0.394 | 0.394 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.89743 | 0.387 | 0.387 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.86117 | 0.379 | 0.379 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.82491 | 0.371 | 0.371 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.78865 | 0.365 | 0.365 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.75239 | 0.357 | 0.357 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.71613 | 0.350 | 0.350 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.67987 | 0.342 | 0.342 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.64361 | 0.335 | 0.335 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.60735 | 0.328 | 0.328 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.57109 | 0.320 | 0.320 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.53483 | 0.313 | 0.313 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.49857 | 0.305 | 0.305 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.46231 | 0.298 | 0.298 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.42605 | 0.291 | 0.291 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.38979 | 0.283 | 0.283 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.35353 | 0.276 | 0.276 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.31727 | 0.269 | 0.269 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.28101 | 0.261 | 0.261 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.24475 | 0.254 | 0.254 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.20849 | 0.246 | 0.246 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.17223 | 0.238 | 0.238 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.13597 | 0.232 | 0.232 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09971 | 0.224 | 0.224 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.06345 | 0.217 | 0.217 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02719 | 0.209 | 0.209 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.203 | 0.203 | |
| 計 | 平均 | | | 111.31501 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.212 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.44133 | 0.259 | 0.259 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.40507 | 0.255 | 0.255 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.36881 | 0.251 | 0.251 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.33255 | 0.247 | 0.247 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.29629 | 0.243 | 0.243 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.26003 | 0.240 | 0.240 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.22377 | 0.236 | 0.236 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.18751 | 0.232 | 0.232 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.15125 | 0.228 | 0.228 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.11499 | 0.224 | 0.224 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.07873 | 0.220 | 0.220 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.04247 | 0.217 | 0.217 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.00621 | 0.213 | 0.213 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.96995 | 0.209 | 0.209 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.93369 | 0.205 | 0.205 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.89743 | 0.201 | 0.201 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.86117 | 0.197 | 0.197 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.82491 | 0.193 | 0.193 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.78865 | 0.190 | 0.190 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.75239 | 0.186 | 0.186 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.71613 | 0.182 | 0.182 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.67987 | 0.178 | 0.178 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.64361 | 0.174 | 0.174 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.60735 | 0.170 | 0.170 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.57109 | 0.167 | 0.167 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.53483 | 0.163 | 0.163 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.49857 | 0.159 | 0.159 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.46231 | 0.155 | 0.155 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.42605 | 0.151 | 0.151 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.38979 | 0.147 | 0.147 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.35353 | 0.143 | 0.143 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.31727 | 0.140 | 0.140 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.28101 | 0.136 | 0.136 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.24475 | 0.132 | 0.132 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.20849 | 0.128 | 0.128 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.17223 | 0.124 | 0.124 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.13597 | 0.120 | 0.120 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09971 | 0.117 | 0.117 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.06345 | 0.113 | 0.113 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02719 | 0.109 | 0.109 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.106 | 0.106 | |
| 計 | 平均 | | | 111.31501 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.212 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.44133 | 0.246 | 0.246 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.40507 | 0.242 | 0.242 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.36881 | 0.238 | 0.238 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.33255 | 0.235 | 0.235 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.29629 | 0.231 | 0.231 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.26003 | 0.228 | 0.228 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.22377 | 0.224 | 0.224 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.18751 | 0.220 | 0.220 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.15125 | 0.217 | 0.217 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.11499 | 0.213 | 0.213 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.07873 | 0.209 | 0.209 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.04247 | 0.206 | 0.206 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.00621 | 0.202 | 0.202 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.96995 | 0.199 | 0.199 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.93369 | 0.195 | 0.195 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.89743 | 0.191 | 0.191 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.86117 | 0.187 | 0.187 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.82491 | 0.183 | 0.183 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.78865 | 0.181 | 0.181 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.75239 | 0.177 | 0.177 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.71613 | 0.173 | 0.173 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.67987 | 0.169 | 0.169 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.64361 | 0.165 | 0.165 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.60735 | 0.162 | 0.162 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.57109 | 0.159 | 0.159 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.53483 | 0.155 | 0.155 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.49857 | 0.151 | 0.151 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.46231 | 0.147 | 0.147 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.42605 | 0.143 | 0.143 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.38979 | 0.140 | 0.140 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.35353 | 0.136 | 0.136 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.31727 | 0.133 | 0.133 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.28101 | 0.129 | 0.129 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.24475 | 0.125 | 0.125 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.20849 | 0.122 | 0.122 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.17223 | 0.118 | 0.118 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.13597 | 0.114 | 0.114 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09971 | 0.111 | 0.111 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.06345 | 0.107 | 0.107 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02719 | 0.104 | 0.104 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.101 | 0.101 | |
| 計 | 平均 | | | 111.31501 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.091 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.44133 | 0.111 | 0.111 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.40507 | 0.109 | 0.109 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.36881 | 0.108 | 0.108 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.33255 | 0.106 | 0.106 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.29629 | 0.104 | 0.104 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.26003 | 0.103 | 0.103 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.22377 | 0.101 | 0.101 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.18751 | 0.100 | 0.100 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.15125 | 0.098 | 0.098 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.11499 | 0.096 | 0.096 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.07873 | 0.095 | 0.095 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.04247 | 0.093 | 0.093 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.00621 | 0.091 | 0.091 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.96995 | 0.090 | 0.090 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.93369 | 0.088 | 0.088 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.89743 | 0.086 | 0.086 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.86117 | 0.085 | 0.085 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.82491 | 0.083 | 0.083 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.78865 | 0.081 | 0.081 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.75239 | 0.080 | 0.080 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.71613 | 0.078 | 0.078 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.67987 | 0.076 | 0.076 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.64361 | 0.075 | 0.075 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.60735 | 0.073 | 0.073 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.57109 | 0.071 | 0.071 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.53483 | 0.070 | 0.070 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.49857 | 0.068 | 0.068 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.46231 | 0.067 | 0.067 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.42605 | 0.065 | 0.065 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.38979 | 0.063 | 0.063 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.35353 | 0.062 | 0.062 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.31727 | 0.060 | 0.060 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.28101 | 0.058 | 0.058 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.24475 | 0.057 | 0.057 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.20849 | 0.055 | 0.055 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.17223 | 0.053 | 0.053 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.13597 | 0.052 | 0.052 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09971 | 0.050 | 0.050 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.06345 | 0.048 | 0.048 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02719 | 0.047 | 0.047 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.045 | 0.045 | |
| 計 | 平均 | | | 111.31501 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.091 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.44133 | 0.105 | 0.105 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.40507 | 0.104 | 0.104 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.36881 | 0.103 | 0.103 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.33255 | 0.101 | 0.101 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.29629 | 0.099 | 0.099 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.26003 | 0.098 | 0.098 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.22377 | 0.096 | 0.096 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.18751 | 0.095 | 0.095 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.15125 | 0.093 | 0.093 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.11499 | 0.091 | 0.091 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.07873 | 0.090 | 0.090 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.04247 | 0.088 | 0.088 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.00621 | 0.086 | 0.086 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.96995 | 0.086 | 0.086 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.93369 | 0.084 | 0.084 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.89743 | 0.082 | 0.082 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.86117 | 0.081 | 0.081 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.82491 | 0.079 | 0.079 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.78865 | 0.077 | 0.077 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.75239 | 0.076 | 0.076 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.71613 | 0.074 | 0.074 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.67987 | 0.072 | 0.072 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.64361 | 0.071 | 0.071 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.60735 | 0.069 | 0.069 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.57109 | 0.067 | 0.067 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.53483 | 0.067 | 0.067 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.49857 | 0.065 | 0.065 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.46231 | 0.064 | 0.064 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.42605 | 0.062 | 0.062 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.38979 | 0.060 | 0.060 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.35353 | 0.059 | 0.059 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.31727 | 0.057 | 0.057 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.28101 | 0.055 | 0.055 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.24475 | 0.054 | 0.054 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.20849 | 0.052 | 0.052 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.17223 | 0.050 | 0.050 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.13597 | 0.049 | 0.049 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09971 | 0.048 | 0.048 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.06345 | 0.046 | 0.046 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02719 | 0.045 | 0.045 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.043 | 0.043 | |
| 計 | 平均 | | | 111.31501 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 2.419 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 3.643 | 3.643 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 3.582 | 3.582 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 3.521 | 3.521 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 3.459 | 3.459 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 3.398 | 3.398 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 3.337 | 3.337 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 3.276 | 3.276 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 3.215 | 3.215 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 3.153 | 3.153 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 3.092 | 3.092 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 3.031 | 3.031 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 2.970 | 2.970 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 2.908 | 2.908 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 2.847 | 2.847 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 2.786 | 2.786 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 2.725 | 2.725 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 2.664 | 2.664 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 2.602 | 2.602 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 2.541 | 2.541 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 2.480 | 2.480 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 2.419 | 2.419 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 2.357 | 2.357 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 2.296 | 2.296 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 2.235 | 2.235 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 2.174 | 2.174 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 2.113 | 2.113 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 2.051 | 2.051 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 1.990 | 1.990 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 1.929 | 1.929 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 1.868 | 1.868 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 1.806 | 1.806 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 1.745 | 1.745 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 1.684 | 1.684 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 1.623 | 1.623 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 1.562 | 1.562 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 1.500 | 1.500 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 1.439 | 1.439 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 1.378 | 1.378 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 1.317 | 1.317 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 1.255 | 1.255 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.209 | 1.209 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 2.419 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 3.461 | 3.461 | |
| 19 | 192.5 | ≧* < | 197.5 | 156 | 2.96142 | 3.403 | 3.403 | |
| 18 | 187.5 | ≧* < | 192.5 | 152 | 2.91081 | 3.345 | 3.345 | |
| 17 | 182.5 | ≧* < | 187.5 | 148 | 2.86019 | 3.286 | 3.286 | |
| 16 | 177.5 | ≧* < | 182.5 | 144 | 2.80957 | 3.228 | 3.228 | |
| 15 | 172.5 | ≧* < | 177.5 | 140 | 2.75895 | 3.170 | 3.170 | |
| 14 | 167.5 | ≧* < | 172.5 | 136 | 2.70834 | 3.112 | 3.112 | |
| 13 | 162.5 | ≧* < | 167.5 | 132 | 2.65772 | 3.054 | 3.054 | |
| 12 | 157.5 | ≧* < | 162.5 | 128 | 2.60710 | 2.995 | 2.995 | |
| 11 | 152.5 | ≧* < | 157.5 | 124 | 2.55648 | 2.937 | 2.937 | |
| 10 | 147.5 | ≧* < | 152.5 | 120 | 2.50587 | 2.879 | 2.879 | |
| 9 | 142.5 | ≧* < | 147.5 | 116 | 2.45525 | 2.822 | 2.822 | |
| 8 | 137.5 | ≧* < | 142.5 | 112 | 2.40463 | 2.763 | 2.763 | |
| 7 | 132.5 | ≧* < | 137.5 | 108 | 2.35401 | 2.705 | 2.705 | |
| 6 | 127.5 | ≧* < | 132.5 | 104 | 2.30340 | 2.647 | 2.647 | |
| 5 | 122.5 | ≧* < | 127.5 | 100 | 2.25278 | 2.589 | 2.589 | |
| 4 | 117.5 | ≧* < | 122.5 | 96 | 2.20216 | 2.531 | 2.531 | |
| 3 | 112.5 | ≧* < | 117.5 | 92 | 2.15154 | 2.472 | 2.472 | |
| 2 | 107.5 | ≧* < | 112.5 | 88 | 2.10093 | 2.414 | 2.414 | |
| 1 | 102.5 | ≧* < | 107.5 | 84 | 2.05031 | 2.356 | 2.356 | |
| 0 | 97.5 | ≧* < | 102.5 | 80 | 1.99969 | 2.298 | 2.298 | |
| -1 | 92.5 | ≧* < | 97.5 | 76 | 1.94908 | 2.239 | 2.239 | |
| -2 | 87.5 | ≧* < | 92.5 | 72 | 1.89846 | 2.181 | 2.181 | |
| -3 | 82.5 | ≧* < | 87.5 | 68 | 1.84784 | 2.123 | 2.123 | |
| -4 | 77.5 | ≧* < | 82.5 | 64 | 1.79722 | 2.065 | 2.065 | |
| -5 | 72.5 | ≧* < | 77.5 | 60 | 1.74661 | 2.007 | 2.007 | |
| -6 | 67.5 | ≧* < | 72.5 | 56 | 1.69599 | 1.948 | 1.948 | |
| -7 | 62.5 | ≧* < | 67.5 | 52 | 1.64537 | 1.891 | 1.891 | |
| -8 | 57.5 | ≧* < | 62.5 | 48 | 1.59475 | 1.833 | 1.833 | |
| -9 | 52.5 | ≧* < | 57.5 | 44 | 1.54414 | 1.775 | 1.775 | |
| -10 | 47.5 | ≧* < | 52.5 | 40 | 1.49352 | 1.716 | 1.716 | |
| -11 | 42.5 | ≧* < | 47.5 | 36 | 1.44290 | 1.658 | 1.658 | |
| -12 | 37.5 | ≧* < | 42.5 | 32 | 1.39228 | 1.600 | 1.600 | |
| -13 | 32.5 | ≧* < | 37.5 | 28 | 1.34167 | 1.542 | 1.542 | |
| -14 | 27.5 | ≧* < | 32.5 | 24 | 1.29105 | 1.484 | 1.484 | |
| -15 | 22.5 | ≧* < | 27.5 | 20 | 1.24043 | 1.425 | 1.425 | |
| -16 | 17.5 | ≧* < | 22.5 | 16 | 1.18982 | 1.367 | 1.367 | |
| -17 | 12.5 | ≧* < | 17.5 | 12 | 1.13920 | 1.309 | 1.309 | |
| -18 | 7.5 | ≧* < | 12.5 | 8 | 1.08858 | 1.251 | 1.251 | |
| -19 | 2.5 | ≧* < | 7.5 | 4 | 1.03796 | 1.192 | 1.192 | |
| -20 | 0.0 | ≧* < | 2.5 | 1.00 | 1.00000 | 1.149 | 1.149 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 2.160 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 |
|--------|-----------------|------|-------|----------|-----------------|---------------|----|
| | | | 圧縮前 | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 3.253 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 3.198 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 3.144 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 3.089 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 3.034 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 2.980 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 2.925 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 2.870 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 2.816 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 2.761 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 2.706 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 2.652 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 2.597 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 2.542 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 2.488 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 2.433 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 2.378 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 2.324 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 2.269 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 2.214 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 2.160 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 2.105 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 2.050 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 1.996 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 1.941 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 1.886 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 1.832 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 1.777 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 1.722 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 1.668 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 1.613 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 1.558 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 1.504 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 1.449 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 1.394 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 1.340 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 1.285 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 1.230 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 1.176 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 1.121 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.080 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 2.160 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 3.090 | 3.090 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 3.038 | 3.038 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 2.987 | 2.987 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 2.935 | 2.935 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 2.882 | 2.882 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 2.831 | 2.831 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 2.779 | 2.779 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 2.727 | 2.727 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 2.675 | 2.675 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 2.623 | 2.623 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 2.571 | 2.571 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 2.519 | 2.519 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 2.467 | 2.467 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 2.415 | 2.415 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 2.364 | 2.364 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 2.311 | 2.311 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 2.259 | 2.259 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 2.208 | 2.208 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 2.156 | 2.156 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 2.103 | 2.103 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 2.052 | 2.052 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 2.000 | 2.000 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 1.948 | 1.948 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 1.896 | 1.896 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 1.844 | 1.844 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 1.792 | 1.792 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 1.740 | 1.740 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 1.688 | 1.688 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 1.636 | 1.636 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 1.585 | 1.585 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 1.532 | 1.532 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 1.480 | 1.480 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 1.429 | 1.429 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 1.377 | 1.377 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 1.324 | 1.324 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 1.273 | 1.273 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 1.221 | 1.221 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 1.169 | 1.169 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 1.117 | 1.117 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 1.065 | 1.065 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.026 | 1.026 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 1.856 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 2.795 | 2.795 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 2.748 | 2.748 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 2.701 | 2.701 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 2.654 | 2.654 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 2.607 | 2.607 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 2.560 | 2.560 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 2.513 | 2.513 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 2.466 | 2.466 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 2.419 | 2.419 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 2.372 | 2.372 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 2.325 | 2.325 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 2.278 | 2.278 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 2.231 | 2.231 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 2.185 | 2.185 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 2.138 | 2.138 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 2.091 | 2.091 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 2.044 | 2.044 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 1.997 | 1.997 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 1.950 | 1.950 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 1.903 | 1.903 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 1.856 | 1.856 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 1.809 | 1.809 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 1.762 | 1.762 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 1.715 | 1.715 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 1.668 | 1.668 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 1.621 | 1.621 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 1.574 | 1.574 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 1.527 | 1.527 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 1.480 | 1.480 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 1.433 | 1.433 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 1.386 | 1.386 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 1.339 | 1.339 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 1.292 | 1.292 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 1.245 | 1.245 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 1.198 | 1.198 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 1.151 | 1.151 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 1.104 | 1.104 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 1.057 | 1.057 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 1.010 | 1.010 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 0.963 | 0.963 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.928 | 0.928 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 1.856 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 2.655 | 2.655 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 2.611 | 2.611 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 2.566 | 2.566 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 2.521 | 2.521 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 2.477 | 2.477 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 2.432 | 2.432 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 2.387 | 2.387 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 2.343 | 2.343 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 2.298 | 2.298 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 2.253 | 2.253 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 2.209 | 2.209 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 2.164 | 2.164 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 2.119 | 2.119 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 2.076 | 2.076 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 2.031 | 2.031 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 1.986 | 1.986 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 1.942 | 1.942 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 1.897 | 1.897 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 1.853 | 1.853 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 1.808 | 1.808 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 1.763 | 1.763 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 1.719 | 1.719 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 1.674 | 1.674 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 1.629 | 1.629 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 1.585 | 1.585 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 1.540 | 1.540 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 1.495 | 1.495 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 1.451 | 1.451 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 1.406 | 1.406 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 1.361 | 1.361 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 1.317 | 1.317 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 1.272 | 1.272 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 1.227 | 1.227 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 1.183 | 1.183 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 1.138 | 1.138 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 1.093 | 1.093 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 1.049 | 1.049 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 1.004 | 1.004 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 0.960 | 0.960 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 0.915 | 0.915 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.882 | 0.882 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 30 プラスチックハウスI類

共済掛金標準率: 0.575 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 0.866 | 0.866 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 0.851 | 0.851 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 0.837 | 0.837 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 0.822 | 0.822 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 0.808 | 0.808 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 0.793 | 0.793 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 0.779 | 0.779 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 0.764 | 0.764 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 0.750 | 0.750 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 0.735 | 0.735 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 0.720 | 0.720 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 0.706 | 0.706 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 0.691 | 0.691 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 0.677 | 0.677 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 0.662 | 0.662 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 0.648 | 0.648 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 0.633 | 0.633 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 0.619 | 0.619 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 0.604 | 0.604 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 0.589 | 0.589 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 0.575 | 0.575 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 0.560 | 0.560 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 0.546 | 0.546 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 0.531 | 0.531 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 0.517 | 0.517 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 0.502 | 0.502 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 0.488 | 0.488 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 0.473 | 0.473 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 0.458 | 0.458 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 0.444 | 0.444 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 0.429 | 0.429 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 0.415 | 0.415 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 0.400 | 0.400 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 0.386 | 0.386 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 0.371 | 0.371 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 0.357 | 0.357 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 0.342 | 0.342 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 0.328 | 0.328 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 0.313 | 0.313 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 0.298 | 0.298 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.287 | 0.287 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.575 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) | 備考 | |
|--------|-----------------|------|-------|----------|------------------|----------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 0.823 | 0.823 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 0.808 | 0.808 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 0.795 | 0.795 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 0.781 | 0.781 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 0.768 | 0.768 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 0.753 | 0.753 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 0.740 | 0.740 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 0.726 | 0.726 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 0.713 | 0.713 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 0.698 | 0.698 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 0.684 | 0.684 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 0.671 | 0.671 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 0.656 | 0.656 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 0.643 | 0.643 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 0.629 | 0.629 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 0.616 | 0.616 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 0.601 | 0.601 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 0.588 | 0.588 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 0.574 | 0.574 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 0.560 | 0.560 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 0.546 | 0.546 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 0.532 | 0.532 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 0.519 | 0.519 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 0.504 | 0.504 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 0.491 | 0.491 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 0.477 | 0.477 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 0.464 | 0.464 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 0.449 | 0.449 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 0.435 | 0.435 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 0.422 | 0.422 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 0.408 | 0.408 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 0.394 | 0.394 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 0.380 | 0.380 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 0.367 | 0.367 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 0.352 | 0.352 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 0.339 | 0.339 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 0.325 | 0.325 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 0.312 | 0.312 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 0.297 | 0.297 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 0.283 | 0.283 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.273 | 0.273 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.338 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) | 備考 | |
|--------|-----------------|------|-------|----------|------------------|----------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 0.509 | 0.509 | |
| 19 | 192.5 | ≧* < | 197.5 | 156 | 2.96142 | 0.500 | 0.500 | |
| 18 | 187.5 | ≧* < | 192.5 | 152 | 2.91081 | 0.492 | 0.492 | |
| 17 | 182.5 | ≧* < | 187.5 | 148 | 2.86019 | 0.483 | 0.483 | |
| 16 | 177.5 | ≧* < | 182.5 | 144 | 2.80957 | 0.475 | 0.475 | |
| 15 | 172.5 | ≧* < | 177.5 | 140 | 2.75895 | 0.466 | 0.466 | |
| 14 | 167.5 | ≧* < | 172.5 | 136 | 2.70834 | 0.458 | 0.458 | |
| 13 | 162.5 | ≧* < | 167.5 | 132 | 2.65772 | 0.449 | 0.449 | |
| 12 | 157.5 | ≧* < | 162.5 | 128 | 2.60710 | 0.441 | 0.441 | |
| 11 | 152.5 | ≧* < | 157.5 | 124 | 2.55648 | 0.432 | 0.432 | |
| 10 | 147.5 | ≧* < | 152.5 | 120 | 2.50587 | 0.423 | 0.423 | |
| 9 | 142.5 | ≧* < | 147.5 | 116 | 2.45525 | 0.415 | 0.415 | |
| 8 | 137.5 | ≧* < | 142.5 | 112 | 2.40463 | 0.406 | 0.406 | |
| 7 | 132.5 | ≧* < | 137.5 | 108 | 2.35401 | 0.398 | 0.398 | |
| 6 | 127.5 | ≧* < | 132.5 | 104 | 2.30340 | 0.389 | 0.389 | |
| 5 | 122.5 | ≧* < | 127.5 | 100 | 2.25278 | 0.381 | 0.381 | |
| 4 | 117.5 | ≧* < | 122.5 | 96 | 2.20216 | 0.372 | 0.372 | |
| 3 | 112.5 | ≧* < | 117.5 | 92 | 2.15154 | 0.364 | 0.364 | |
| 2 | 107.5 | ≧* < | 112.5 | 88 | 2.10093 | 0.355 | 0.355 | |
| 1 | 102.5 | ≧* < | 107.5 | 84 | 2.05031 | 0.347 | 0.347 | |
| 0 | 97.5 | ≧* < | 102.5 | 80 | 1.99969 | 0.338 | 0.338 | |
| -1 | 92.5 | ≧* < | 97.5 | 76 | 1.94908 | 0.329 | 0.329 | |
| -2 | 87.5 | ≧* < | 92.5 | 72 | 1.89846 | 0.321 | 0.321 | |
| -3 | 82.5 | ≧* < | 87.5 | 68 | 1.84784 | 0.312 | 0.312 | |
| -4 | 77.5 | ≧* < | 82.5 | 64 | 1.79722 | 0.304 | 0.304 | |
| -5 | 72.5 | ≧* < | 77.5 | 60 | 1.74661 | 0.295 | 0.295 | |
| -6 | 67.5 | ≧* < | 72.5 | 56 | 1.69599 | 0.287 | 0.287 | |
| -7 | 62.5 | ≧* < | 67.5 | 52 | 1.64537 | 0.278 | 0.278 | |
| -8 | 57.5 | ≧* < | 62.5 | 48 | 1.59475 | 0.270 | 0.270 | |
| -9 | 52.5 | ≧* < | 57.5 | 44 | 1.54414 | 0.261 | 0.261 | |
| -10 | 47.5 | ≧* < | 52.5 | 40 | 1.49352 | 0.252 | 0.252 | |
| -11 | 42.5 | ≧* < | 47.5 | 36 | 1.44290 | 0.244 | 0.244 | |
| -12 | 37.5 | ≧* < | 42.5 | 32 | 1.39228 | 0.235 | 0.235 | |
| -13 | 32.5 | ≧* < | 37.5 | 28 | 1.34167 | 0.227 | 0.227 | |
| -14 | 27.5 | ≧* < | 32.5 | 24 | 1.29105 | 0.218 | 0.218 | |
| -15 | 22.5 | ≧* < | 27.5 | 20 | 1.24043 | 0.210 | 0.210 | |
| -16 | 17.5 | ≧* < | 22.5 | 16 | 1.18982 | 0.201 | 0.201 | |
| -17 | 12.5 | ≧* < | 17.5 | 12 | 1.13920 | 0.193 | 0.193 | |
| -18 | 7.5 | ≧* < | 12.5 | 8 | 1.08858 | 0.184 | 0.184 | |
| -19 | 2.5 | ≧* < | 7.5 | 4 | 1.03796 | 0.175 | 0.175 | |
| -20 | 0.0 | ≧* < | 2.5 | 1.00 | 1.00000 | 0.169 | 0.169 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.338 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.01204 | 0.484 | 0.484 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.96142 | 0.475 | 0.475 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.91081 | 0.467 | 0.467 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.86019 | 0.459 | 0.459 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.80957 | 0.451 | 0.451 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.75895 | 0.443 | 0.443 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.70834 | 0.435 | 0.435 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.65772 | 0.427 | 0.427 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.60710 | 0.419 | 0.419 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.55648 | 0.410 | 0.410 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.50587 | 0.402 | 0.402 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.45525 | 0.394 | 0.394 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.40463 | 0.386 | 0.386 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.35401 | 0.378 | 0.378 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.30340 | 0.370 | 0.370 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.25278 | 0.362 | 0.362 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.20216 | 0.353 | 0.353 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.15154 | 0.346 | 0.346 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.10093 | 0.337 | 0.337 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.05031 | 0.330 | 0.330 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.99969 | 0.321 | 0.321 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.94908 | 0.313 | 0.313 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.89846 | 0.305 | 0.305 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.84784 | 0.296 | 0.296 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.79722 | 0.289 | 0.289 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.74661 | 0.280 | 0.280 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.69599 | 0.273 | 0.273 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.64537 | 0.264 | 0.264 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.59475 | 0.257 | 0.257 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.54414 | 0.248 | 0.248 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.49352 | 0.239 | 0.239 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.44290 | 0.232 | 0.232 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.39228 | 0.223 | 0.223 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.34167 | 0.216 | 0.216 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.29105 | 0.207 | 0.207 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.24043 | 0.200 | 0.200 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.18982 | 0.191 | 0.191 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.13920 | 0.183 | 0.183 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.08858 | 0.175 | 0.175 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.03796 | 0.166 | 0.166 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.161 | 0.161 | |
| 計 | 平均 | | | 80.02439 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 3.153 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 240.37448 | 4.72571 | 7.450 | 7.450 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.41248 | 5.380 | 5.380 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.35022 | 5.282 | 5.282 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.28796 | 5.183 | 5.183 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.22570 | 5.085 | 5.085 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.16345 | 4.987 | 4.987 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.10119 | 4.889 | 4.889 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.03893 | 4.791 | 4.791 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.97667 | 4.693 | 4.693 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.91442 | 4.595 | 4.595 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.85216 | 4.496 | 4.496 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.78990 | 4.398 | 4.398 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.72764 | 4.300 | 4.300 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.66539 | 4.202 | 4.202 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.60313 | 4.104 | 4.104 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.54087 | 4.006 | 4.006 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.47861 | 3.908 | 3.908 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.41636 | 3.809 | 3.809 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.35410 | 3.711 | 3.711 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.29184 | 3.613 | 3.613 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.22958 | 3.515 | 3.515 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.16733 | 3.417 | 3.417 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.10507 | 3.319 | 3.319 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.04281 | 3.220 | 3.220 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.98055 | 3.122 | 3.122 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.91830 | 3.024 | 3.024 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.85604 | 2.926 | 2.926 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.79378 | 2.828 | 2.828 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.73152 | 2.730 | 2.730 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.66927 | 2.632 | 2.632 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.60701 | 2.533 | 2.533 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.54475 | 2.435 | 2.435 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.48250 | 2.337 | 2.337 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.42024 | 2.239 | 2.239 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.35798 | 2.141 | 2.141 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.29572 | 2.043 | 2.043 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.23347 | 1.945 | 1.945 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.17121 | 1.846 | 1.846 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.10895 | 1.748 | 1.748 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04669 | 1.650 | 1.650 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.576 | 1.576 | |
| 計 | 平均 | | | 65.24939 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 3.153 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 240.37448 | 4.72571 | 7.078 | 7.078 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.41248 | 5.111 | 5.111 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.35022 | 5.018 | 5.018 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.28796 | 4.924 | 4.924 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.22570 | 4.831 | 4.831 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.16345 | 4.738 | 4.738 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.10119 | 4.645 | 4.645 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.03893 | 4.551 | 4.551 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.97667 | 4.458 | 4.458 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.91442 | 4.365 | 4.365 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.85216 | 4.271 | 4.271 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.78990 | 4.178 | 4.178 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.72764 | 4.085 | 4.085 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.66539 | 3.992 | 3.992 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.60313 | 3.899 | 3.899 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.54087 | 3.806 | 3.806 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.47861 | 3.713 | 3.713 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.41636 | 3.619 | 3.619 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.35410 | 3.525 | 3.525 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.29184 | 3.432 | 3.432 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.22958 | 3.339 | 3.339 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.16733 | 3.246 | 3.246 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.10507 | 3.153 | 3.153 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.04281 | 3.059 | 3.059 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.98055 | 2.966 | 2.966 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.91830 | 2.873 | 2.873 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.85604 | 2.780 | 2.780 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.79378 | 2.687 | 2.687 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.73152 | 2.594 | 2.594 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.66927 | 2.500 | 2.500 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.60701 | 2.406 | 2.406 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.54475 | 2.313 | 2.313 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.48250 | 2.220 | 2.220 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.42024 | 2.127 | 2.127 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.35798 | 2.034 | 2.034 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.29572 | 1.941 | 1.941 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.23347 | 1.848 | 1.848 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.17121 | 1.754 | 1.754 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.10895 | 1.661 | 1.661 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04669 | 1.568 | 1.568 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.497 | 1.497 | |
| 計 | 平均 | | | 65.24939 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 1.644 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 240.37448 | 4.72571 | 3.885 | 3.885 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.41248 | 2.805 | 2.805 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.35022 | 2.754 | 2.754 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.28796 | 2.703 | 2.703 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.22570 | 2.652 | 2.652 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.16345 | 2.600 | 2.600 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.10119 | 2.549 | 2.549 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.03893 | 2.498 | 2.498 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.97667 | 2.447 | 2.447 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.91442 | 2.396 | 2.396 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.85216 | 2.344 | 2.344 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.78990 | 2.293 | 2.293 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.72764 | 2.242 | 2.242 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.66539 | 2.191 | 2.191 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.60313 | 2.140 | 2.140 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.54087 | 2.089 | 2.089 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.47861 | 2.037 | 2.037 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.41636 | 1.986 | 1.986 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.35410 | 1.935 | 1.935 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.29184 | 1.884 | 1.884 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.22958 | 1.833 | 1.833 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.16733 | 1.782 | 1.782 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.10507 | 1.730 | 1.730 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.04281 | 1.679 | 1.679 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.98055 | 1.628 | 1.628 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.91830 | 1.577 | 1.577 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.85604 | 1.526 | 1.526 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.79378 | 1.474 | 1.474 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.73152 | 1.423 | 1.423 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.66927 | 1.372 | 1.372 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.60701 | 1.321 | 1.321 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.54475 | 1.270 | 1.270 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.48250 | 1.219 | 1.219 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.42024 | 1.167 | 1.167 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.35798 | 1.116 | 1.116 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.29572 | 1.065 | 1.065 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.23347 | 1.014 | 1.014 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.17121 | 0.963 | 0.963 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.10895 | 0.912 | 0.912 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04669 | 0.860 | 0.860 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.822 | 0.822 | |
| 計 | 平均 | | | 65.24939 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 1.644 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 240.37448 | 4.72571 | 3.691 | 3.691 | |
| 19 | 192.5 | ≧* < | 197.5 | 156 | 3.41248 | 2.665 | 2.665 | |
| 18 | 187.5 | ≧* < | 192.5 | 152 | 3.35022 | 2.616 | 2.616 | |
| 17 | 182.5 | ≧* < | 187.5 | 148 | 3.28796 | 2.568 | 2.568 | |
| 16 | 177.5 | ≧* < | 182.5 | 144 | 3.22570 | 2.519 | 2.519 | |
| 15 | 172.5 | ≧* < | 177.5 | 140 | 3.16345 | 2.470 | 2.470 | |
| 14 | 167.5 | ≧* < | 172.5 | 136 | 3.10119 | 2.422 | 2.422 | |
| 13 | 162.5 | ≧* < | 167.5 | 132 | 3.03893 | 2.373 | 2.373 | |
| 12 | 157.5 | ≧* < | 162.5 | 128 | 2.97667 | 2.325 | 2.325 | |
| 11 | 152.5 | ≧* < | 157.5 | 124 | 2.91442 | 2.276 | 2.276 | |
| 10 | 147.5 | ≧* < | 152.5 | 120 | 2.85216 | 2.227 | 2.227 | |
| 9 | 142.5 | ≧* < | 147.5 | 116 | 2.78990 | 2.178 | 2.178 | |
| 8 | 137.5 | ≧* < | 142.5 | 112 | 2.72764 | 2.130 | 2.130 | |
| 7 | 132.5 | ≧* < | 137.5 | 108 | 2.66539 | 2.081 | 2.081 | |
| 6 | 127.5 | ≧* < | 132.5 | 104 | 2.60313 | 2.033 | 2.033 | |
| 5 | 122.5 | ≧* < | 127.5 | 100 | 2.54087 | 1.985 | 1.985 | |
| 4 | 117.5 | ≧* < | 122.5 | 96 | 2.47861 | 1.935 | 1.935 | |
| 3 | 112.5 | ≧* < | 117.5 | 92 | 2.41636 | 1.887 | 1.887 | |
| 2 | 107.5 | ≧* < | 112.5 | 88 | 2.35410 | 1.838 | 1.838 | |
| 1 | 102.5 | ≧* < | 107.5 | 84 | 2.29184 | 1.790 | 1.790 | |
| 0 | 97.5 | ≧* < | 102.5 | 80 | 2.22958 | 1.741 | 1.741 | |
| -1 | 92.5 | ≧* < | 97.5 | 76 | 2.16733 | 1.693 | 1.693 | |
| -2 | 87.5 | ≧* < | 92.5 | 72 | 2.10507 | 1.644 | 1.644 | |
| -3 | 82.5 | ≧* < | 87.5 | 68 | 2.04281 | 1.595 | 1.595 | |
| -4 | 77.5 | ≧* < | 82.5 | 64 | 1.98055 | 1.547 | 1.547 | |
| -5 | 72.5 | ≧* < | 77.5 | 60 | 1.91830 | 1.498 | 1.498 | |
| -6 | 67.5 | ≧* < | 72.5 | 56 | 1.85604 | 1.450 | 1.450 | |
| -7 | 62.5 | ≧* < | 67.5 | 52 | 1.79378 | 1.400 | 1.400 | |
| -8 | 57.5 | ≧* < | 62.5 | 48 | 1.73152 | 1.352 | 1.352 | |
| -9 | 52.5 | ≧* < | 57.5 | 44 | 1.66927 | 1.303 | 1.303 | |
| -10 | 47.5 | ≧* < | 52.5 | 40 | 1.60701 | 1.255 | 1.255 | |
| -11 | 42.5 | ≧* < | 47.5 | 36 | 1.54475 | 1.207 | 1.207 | |
| -12 | 37.5 | ≧* < | 42.5 | 32 | 1.48250 | 1.158 | 1.158 | |
| -13 | 32.5 | ≧* < | 37.5 | 28 | 1.42024 | 1.109 | 1.109 | |
| -14 | 27.5 | ≧* < | 32.5 | 24 | 1.35798 | 1.060 | 1.060 | |
| -15 | 22.5 | ≧* < | 27.5 | 20 | 1.29572 | 1.012 | 1.012 | |
| -16 | 17.5 | ≧* < | 22.5 | 16 | 1.23347 | 0.963 | 0.963 | |
| -17 | 12.5 | ≧* < | 17.5 | 12 | 1.17121 | 0.915 | 0.915 | |
| -18 | 7.5 | ≧* < | 12.5 | 8 | 1.10895 | 0.866 | 0.866 | |
| -19 | 2.5 | ≧* < | 7.5 | 4 | 1.04669 | 0.817 | 0.817 | |
| -20 | 0.0 | ≧* < | 2.5 | 1.00 | 1.00000 | 0.781 | 0.781 | |
| 計 | 平均 | | | 65.24939 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.633 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 240.37448 | 4.72571 | 1.496 | 1.496 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.41248 | 1.080 | 1.080 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.35022 | 1.060 | 1.060 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.28796 | 1.041 | 1.041 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.22570 | 1.021 | 1.021 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.16345 | 1.001 | 1.001 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.10119 | 0.982 | 0.982 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.03893 | 0.962 | 0.962 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.97667 | 0.942 | 0.942 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.91442 | 0.922 | 0.922 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.85216 | 0.903 | 0.903 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.78990 | 0.883 | 0.883 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.72764 | 0.863 | 0.863 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.66539 | 0.844 | 0.844 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.60313 | 0.824 | 0.824 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.54087 | 0.804 | 0.804 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.47861 | 0.784 | 0.784 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.41636 | 0.765 | 0.765 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.35410 | 0.745 | 0.745 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.29184 | 0.725 | 0.725 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.22958 | 0.706 | 0.706 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.16733 | 0.686 | 0.686 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.10507 | 0.666 | 0.666 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.04281 | 0.647 | 0.647 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.98055 | 0.627 | 0.627 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.91830 | 0.607 | 0.607 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.85604 | 0.587 | 0.587 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.79378 | 0.568 | 0.568 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.73152 | 0.548 | 0.548 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.66927 | 0.528 | 0.528 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.60701 | 0.509 | 0.509 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.54475 | 0.489 | 0.489 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.48250 | 0.469 | 0.469 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.42024 | 0.450 | 0.450 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.35798 | 0.430 | 0.430 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.29572 | 0.410 | 0.410 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.23347 | 0.390 | 0.390 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.17121 | 0.371 | 0.371 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.10895 | 0.351 | 0.351 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04669 | 0.331 | 0.331 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.316 | 0.316 | |
| 計 | 平均 | | | 65.24939 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.633 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 240.37448 | 4.72571 | 1.421 | 1.421 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.41248 | 1.026 | 1.026 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.35022 | 1.007 | 1.007 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.28796 | 0.989 | 0.989 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.22570 | 0.970 | 0.970 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.16345 | 0.951 | 0.951 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.10119 | 0.933 | 0.933 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.03893 | 0.914 | 0.914 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.97667 | 0.895 | 0.895 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.91442 | 0.876 | 0.876 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.85216 | 0.858 | 0.858 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.78990 | 0.839 | 0.839 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.72764 | 0.820 | 0.820 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.66539 | 0.802 | 0.802 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.60313 | 0.783 | 0.783 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.54087 | 0.764 | 0.764 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.47861 | 0.745 | 0.745 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.41636 | 0.727 | 0.727 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.35410 | 0.708 | 0.708 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.29184 | 0.689 | 0.689 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.22958 | 0.671 | 0.671 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.16733 | 0.652 | 0.652 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.10507 | 0.633 | 0.633 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.04281 | 0.615 | 0.615 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.98055 | 0.596 | 0.596 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.91830 | 0.577 | 0.577 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.85604 | 0.558 | 0.558 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.79378 | 0.540 | 0.540 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.73152 | 0.521 | 0.521 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.66927 | 0.502 | 0.502 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.60701 | 0.484 | 0.484 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.54475 | 0.465 | 0.465 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.48250 | 0.446 | 0.446 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.42024 | 0.428 | 0.428 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.35798 | 0.409 | 0.409 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.29572 | 0.390 | 0.390 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.23347 | 0.371 | 0.371 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.17121 | 0.352 | 0.352 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.10895 | 0.333 | 0.333 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04669 | 0.314 | 0.314 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.300 | 0.300 | |
| 計 | 平均 | | | 65.24939 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.248 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 240.37448 | 4.72571 | 0.586 | 0.586 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.41248 | 0.423 | 0.423 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.35022 | 0.415 | 0.415 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.28796 | 0.408 | 0.408 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.22570 | 0.400 | 0.400 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.16345 | 0.392 | 0.392 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.10119 | 0.385 | 0.385 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.03893 | 0.377 | 0.377 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.97667 | 0.369 | 0.369 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.91442 | 0.361 | 0.361 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.85216 | 0.354 | 0.354 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.78990 | 0.346 | 0.346 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.72764 | 0.338 | 0.338 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.66539 | 0.331 | 0.331 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.60313 | 0.323 | 0.323 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.54087 | 0.315 | 0.315 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.47861 | 0.307 | 0.307 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.41636 | 0.300 | 0.300 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.35410 | 0.292 | 0.292 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.29184 | 0.284 | 0.284 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.22958 | 0.276 | 0.276 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.16733 | 0.269 | 0.269 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.10507 | 0.261 | 0.261 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.04281 | 0.253 | 0.253 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.98055 | 0.246 | 0.246 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.91830 | 0.238 | 0.238 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.85604 | 0.230 | 0.230 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.79378 | 0.222 | 0.222 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.73152 | 0.215 | 0.215 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.66927 | 0.207 | 0.207 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.60701 | 0.199 | 0.199 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.54475 | 0.192 | 0.192 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.48250 | 0.184 | 0.184 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.42024 | 0.176 | 0.176 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.35798 | 0.168 | 0.168 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.29572 | 0.161 | 0.161 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.23347 | 0.153 | 0.153 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.17121 | 0.145 | 0.145 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.10895 | 0.138 | 0.138 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04669 | 0.130 | 0.130 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.124 | 0.124 | |
| 計 | 平均 | | | 65.24939 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.248 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 240.37448 | 4.72571 | 0.557 | 0.557 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.41248 | 0.402 | 0.402 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.35022 | 0.394 | 0.394 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.28796 | 0.388 | 0.388 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.22570 | 0.380 | 0.380 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.16345 | 0.372 | 0.372 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.10119 | 0.366 | 0.366 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.03893 | 0.358 | 0.358 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.97667 | 0.351 | 0.351 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.91442 | 0.343 | 0.343 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.85216 | 0.336 | 0.336 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.78990 | 0.329 | 0.329 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.72764 | 0.321 | 0.321 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.66539 | 0.314 | 0.314 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.60313 | 0.307 | 0.307 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.54087 | 0.299 | 0.299 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.47861 | 0.292 | 0.292 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.41636 | 0.285 | 0.285 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.35410 | 0.277 | 0.277 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.29184 | 0.270 | 0.270 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.22958 | 0.262 | 0.262 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.16733 | 0.256 | 0.256 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.10507 | 0.248 | 0.248 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.04281 | 0.240 | 0.240 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.98055 | 0.234 | 0.234 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.91830 | 0.226 | 0.226 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.85604 | 0.219 | 0.219 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.79378 | 0.211 | 0.211 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.73152 | 0.204 | 0.204 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.66927 | 0.197 | 0.197 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.60701 | 0.189 | 0.189 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.54475 | 0.182 | 0.182 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.48250 | 0.175 | 0.175 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.42024 | 0.167 | 0.167 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.35798 | 0.160 | 0.160 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.29572 | 0.153 | 0.153 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.23347 | 0.145 | 0.145 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.17121 | 0.138 | 0.138 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.10895 | 0.131 | 0.131 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04669 | 0.124 | 0.124 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.118 | 0.118 | |
| 計 | 平均 | | | 65.24939 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.102 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 240.37448 | 4.72571 | 0.241 | 0.241 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.41248 | 0.174 | 0.174 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.35022 | 0.171 | 0.171 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.28796 | 0.168 | 0.168 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.22570 | 0.165 | 0.165 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.16345 | 0.161 | 0.161 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.10119 | 0.158 | 0.158 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.03893 | 0.155 | 0.155 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.97667 | 0.152 | 0.152 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.91442 | 0.149 | 0.149 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.85216 | 0.145 | 0.145 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.78990 | 0.142 | 0.142 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.72764 | 0.139 | 0.139 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.66539 | 0.136 | 0.136 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.60313 | 0.133 | 0.133 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.54087 | 0.130 | 0.130 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.47861 | 0.126 | 0.126 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.41636 | 0.123 | 0.123 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.35410 | 0.120 | 0.120 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.29184 | 0.117 | 0.117 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.22958 | 0.114 | 0.114 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.16733 | 0.111 | 0.111 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.10507 | 0.107 | 0.107 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.04281 | 0.104 | 0.104 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.98055 | 0.101 | 0.101 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.91830 | 0.098 | 0.098 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.85604 | 0.095 | 0.095 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.79378 | 0.091 | 0.091 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.73152 | 0.088 | 0.088 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.66927 | 0.085 | 0.085 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.60701 | 0.082 | 0.082 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.54475 | 0.079 | 0.079 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.48250 | 0.076 | 0.076 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.42024 | 0.072 | 0.072 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.35798 | 0.069 | 0.069 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.29572 | 0.066 | 0.066 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.23347 | 0.063 | 0.063 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.17121 | 0.060 | 0.060 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.10895 | 0.057 | 0.057 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04669 | 0.053 | 0.053 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.051 | 0.051 | |
| 計 | 平均 | | | 65.24939 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.102 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 240.37448 | 4.72571 | 0.229 | 0.229 | |
| 19 | 192.5 | ≧* < | 197.5 | 156 | 3.41248 | 0.165 | 0.165 | |
| 18 | 187.5 | ≧* < | 192.5 | 152 | 3.35022 | 0.162 | 0.162 | |
| 17 | 182.5 | ≧* < | 187.5 | 148 | 3.28796 | 0.160 | 0.160 | |
| 16 | 177.5 | ≧* < | 182.5 | 144 | 3.22570 | 0.157 | 0.157 | |
| 15 | 172.5 | ≧* < | 177.5 | 140 | 3.16345 | 0.153 | 0.153 | |
| 14 | 167.5 | ≧* < | 172.5 | 136 | 3.10119 | 0.150 | 0.150 | |
| 13 | 162.5 | ≧* < | 167.5 | 132 | 3.03893 | 0.147 | 0.147 | |
| 12 | 157.5 | ≧* < | 162.5 | 128 | 2.97667 | 0.144 | 0.144 | |
| 11 | 152.5 | ≧* < | 157.5 | 124 | 2.91442 | 0.142 | 0.142 | |
| 10 | 147.5 | ≧* < | 152.5 | 120 | 2.85216 | 0.138 | 0.138 | |
| 9 | 142.5 | ≧* < | 147.5 | 116 | 2.78990 | 0.135 | 0.135 | |
| 8 | 137.5 | ≧* < | 142.5 | 112 | 2.72764 | 0.132 | 0.132 | |
| 7 | 132.5 | ≧* < | 137.5 | 108 | 2.66539 | 0.129 | 0.129 | |
| 6 | 127.5 | ≧* < | 132.5 | 104 | 2.60313 | 0.126 | 0.126 | |
| 5 | 122.5 | ≧* < | 127.5 | 100 | 2.54087 | 0.124 | 0.124 | |
| 4 | 117.5 | ≧* < | 122.5 | 96 | 2.47861 | 0.120 | 0.120 | |
| 3 | 112.5 | ≧* < | 117.5 | 92 | 2.41636 | 0.117 | 0.117 | |
| 2 | 107.5 | ≧* < | 112.5 | 88 | 2.35410 | 0.114 | 0.114 | |
| 1 | 102.5 | ≧* < | 107.5 | 84 | 2.29184 | 0.111 | 0.111 | |
| 0 | 97.5 | ≧* < | 102.5 | 80 | 2.22958 | 0.108 | 0.108 | |
| -1 | 92.5 | ≧* < | 97.5 | 76 | 2.16733 | 0.105 | 0.105 | |
| -2 | 87.5 | ≧* < | 92.5 | 72 | 2.10507 | 0.102 | 0.102 | |
| -3 | 82.5 | ≧* < | 87.5 | 68 | 2.04281 | 0.099 | 0.099 | |
| -4 | 77.5 | ≧* < | 82.5 | 64 | 1.98055 | 0.096 | 0.096 | |
| -5 | 72.5 | ≧* < | 77.5 | 60 | 1.91830 | 0.093 | 0.093 | |
| -6 | 67.5 | ≧* < | 72.5 | 56 | 1.85604 | 0.090 | 0.090 | |
| -7 | 62.5 | ≧* < | 67.5 | 52 | 1.79378 | 0.086 | 0.086 | |
| -8 | 57.5 | ≧* < | 62.5 | 48 | 1.73152 | 0.084 | 0.084 | |
| -9 | 52.5 | ≧* < | 57.5 | 44 | 1.66927 | 0.081 | 0.081 | |
| -10 | 47.5 | ≧* < | 52.5 | 40 | 1.60701 | 0.078 | 0.078 | |
| -11 | 42.5 | ≧* < | 47.5 | 36 | 1.54475 | 0.075 | 0.075 | |
| -12 | 37.5 | ≧* < | 42.5 | 32 | 1.48250 | 0.072 | 0.072 | |
| -13 | 32.5 | ≧* < | 37.5 | 28 | 1.42024 | 0.068 | 0.068 | |
| -14 | 27.5 | ≧* < | 32.5 | 24 | 1.35798 | 0.066 | 0.066 | |
| -15 | 22.5 | ≧* < | 27.5 | 20 | 1.29572 | 0.063 | 0.063 | |
| -16 | 17.5 | ≧* < | 22.5 | 16 | 1.23347 | 0.060 | 0.060 | |
| -17 | 12.5 | ≧* < | 17.5 | 12 | 1.17121 | 0.057 | 0.057 | |
| -18 | 7.5 | ≧* < | 12.5 | 8 | 1.10895 | 0.054 | 0.054 | |
| -19 | 2.5 | ≧* < | 7.5 | 4 | 1.04669 | 0.050 | 0.050 | |
| -20 | 0.0 | ≧* < | 2.5 | 1.00 | 1.00000 | 0.048 | 0.048 | |
| 計 | 平均 | | | 65.24939 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 3.581 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|--------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 355.47368 | 5.91374 | 10.589 | 10.589 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14862 | 5.638 | 5.638 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09317 | 5.538 | 5.538 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03772 | 5.439 | 5.439 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98228 | 5.340 | 5.340 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92683 | 5.240 | 5.240 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87138 | 5.141 | 5.141 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81593 | 5.042 | 5.042 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76048 | 4.943 | 4.943 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70503 | 4.843 | 4.843 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64959 | 4.744 | 4.744 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59414 | 4.645 | 4.645 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53869 | 4.546 | 4.546 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48324 | 4.446 | 4.446 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42779 | 4.347 | 4.347 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37235 | 4.248 | 4.248 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31690 | 4.148 | 4.148 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26145 | 4.049 | 4.049 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20600 | 3.950 | 3.950 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15055 | 3.851 | 3.851 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09510 | 3.751 | 3.751 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03966 | 3.652 | 3.652 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98421 | 3.553 | 3.553 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92876 | 3.453 | 3.453 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87331 | 3.354 | 3.354 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81786 | 3.255 | 3.255 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76241 | 3.156 | 3.156 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70697 | 3.056 | 3.056 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65152 | 2.957 | 2.957 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59607 | 2.858 | 2.858 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54062 | 2.758 | 2.758 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48517 | 2.659 | 2.659 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42972 | 2.560 | 2.560 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37428 | 2.461 | 2.461 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31883 | 2.361 | 2.361 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26338 | 2.262 | 2.262 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20793 | 2.163 | 2.163 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15248 | 2.064 | 2.064 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09703 | 1.964 | 1.964 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.865 | 1.865 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.790 | 1.790 | |
| 計 | 平均 | | | 73.13926 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 3.581 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|--------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 355.47368 | 5.91374 | 10.060 | 10.060 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14862 | 5.356 | 5.356 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09317 | 5.261 | 5.261 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03772 | 5.167 | 5.167 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98228 | 5.073 | 5.073 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92683 | 4.978 | 4.978 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87138 | 4.884 | 4.884 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81593 | 4.790 | 4.790 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76048 | 4.696 | 4.696 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70503 | 4.601 | 4.601 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64959 | 4.507 | 4.507 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59414 | 4.413 | 4.413 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53869 | 4.319 | 4.319 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48324 | 4.224 | 4.224 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42779 | 4.130 | 4.130 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37235 | 4.036 | 4.036 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31690 | 3.941 | 3.941 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26145 | 3.847 | 3.847 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20600 | 3.753 | 3.753 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15055 | 3.658 | 3.658 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09510 | 3.563 | 3.563 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03966 | 3.469 | 3.469 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98421 | 3.375 | 3.375 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92876 | 3.280 | 3.280 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87331 | 3.186 | 3.186 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81786 | 3.092 | 3.092 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76241 | 2.998 | 2.998 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70697 | 2.903 | 2.903 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65152 | 2.809 | 2.809 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59607 | 2.715 | 2.715 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54062 | 2.620 | 2.620 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48517 | 2.526 | 2.526 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42972 | 2.432 | 2.432 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37428 | 2.338 | 2.338 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31883 | 2.243 | 2.243 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26338 | 2.149 | 2.149 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20793 | 2.055 | 2.055 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15248 | 1.961 | 1.961 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09703 | 1.866 | 1.866 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.772 | 1.772 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.701 | 1.701 | |
| 計 | 平均 | | | 73.13926 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 3.565 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) | 備考 | |
|--------|-----------------|------|-------|-----------|------------------|----------------|--------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 355.47368 | 5.91374 | 10.541 | 10.541 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14862 | 5.612 | 5.612 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09317 | 5.514 | 5.514 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03772 | 5.415 | 5.415 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98228 | 5.316 | 5.316 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92683 | 5.217 | 5.217 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87138 | 5.118 | 5.118 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81593 | 5.019 | 5.019 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76048 | 4.921 | 4.921 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70503 | 4.822 | 4.822 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64959 | 4.723 | 4.723 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59414 | 4.624 | 4.624 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53869 | 4.525 | 4.525 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48324 | 4.426 | 4.426 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42779 | 4.328 | 4.328 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37235 | 4.229 | 4.229 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31690 | 4.130 | 4.130 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26145 | 4.031 | 4.031 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20600 | 3.932 | 3.932 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15055 | 3.833 | 3.833 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09510 | 3.735 | 3.735 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03966 | 3.636 | 3.636 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98421 | 3.537 | 3.537 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92876 | 3.438 | 3.438 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87331 | 3.339 | 3.339 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81786 | 3.240 | 3.240 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76241 | 3.141 | 3.141 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70697 | 3.043 | 3.043 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65152 | 2.944 | 2.944 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59607 | 2.845 | 2.845 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54062 | 2.746 | 2.746 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48517 | 2.647 | 2.647 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42972 | 2.548 | 2.548 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37428 | 2.450 | 2.450 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31883 | 2.351 | 2.351 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26338 | 2.252 | 2.252 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20793 | 2.153 | 2.153 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15248 | 2.054 | 2.054 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09703 | 1.955 | 1.955 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.857 | 1.857 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.782 | 1.782 | |
| 計 | 平均 | | | 73.13926 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 3.565 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|--------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 355.47368 | 5.91374 | 10.014 | 10.014 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14862 | 5.331 | 5.331 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09317 | 5.238 | 5.238 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03772 | 5.144 | 5.144 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98228 | 5.050 | 5.050 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92683 | 4.956 | 4.956 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87138 | 4.862 | 4.862 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81593 | 4.768 | 4.768 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76048 | 4.675 | 4.675 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70503 | 4.581 | 4.581 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64959 | 4.487 | 4.487 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59414 | 4.393 | 4.393 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53869 | 4.299 | 4.299 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48324 | 4.205 | 4.205 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42779 | 4.112 | 4.112 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37235 | 4.018 | 4.018 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31690 | 3.924 | 3.924 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26145 | 3.829 | 3.829 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20600 | 3.735 | 3.735 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15055 | 3.641 | 3.641 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09510 | 3.548 | 3.548 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03966 | 3.454 | 3.454 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98421 | 3.360 | 3.360 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92876 | 3.266 | 3.266 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87331 | 3.172 | 3.172 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81786 | 3.078 | 3.078 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76241 | 2.984 | 2.984 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70697 | 2.891 | 2.891 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65152 | 2.797 | 2.797 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59607 | 2.703 | 2.703 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54062 | 2.609 | 2.609 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48517 | 2.515 | 2.515 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42972 | 2.421 | 2.421 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37428 | 2.328 | 2.328 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31883 | 2.233 | 2.233 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26338 | 2.139 | 2.139 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20793 | 2.045 | 2.045 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15248 | 1.951 | 1.951 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09703 | 1.857 | 1.857 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.764 | 1.764 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.693 | 1.693 | |
| 計 | 平均 | | | 73.13926 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 3.429 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|--------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 355.47368 | 5.91374 | 10.139 | 10.139 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14862 | 5.398 | 5.398 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09317 | 5.303 | 5.303 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03772 | 5.208 | 5.208 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98228 | 5.113 | 5.113 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92683 | 5.018 | 5.018 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87138 | 4.923 | 4.923 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81593 | 4.828 | 4.828 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76048 | 4.733 | 4.733 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70503 | 4.638 | 4.638 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64959 | 4.543 | 4.543 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59414 | 4.448 | 4.448 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53869 | 4.353 | 4.353 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48324 | 4.258 | 4.258 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42779 | 4.162 | 4.162 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37235 | 4.067 | 4.067 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31690 | 3.972 | 3.972 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26145 | 3.877 | 3.877 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20600 | 3.782 | 3.782 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15055 | 3.687 | 3.687 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09510 | 3.592 | 3.592 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03966 | 3.497 | 3.497 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98421 | 3.402 | 3.402 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92876 | 3.307 | 3.307 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87331 | 3.212 | 3.212 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81786 | 3.117 | 3.117 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76241 | 3.022 | 3.022 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70697 | 2.927 | 2.927 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65152 | 2.832 | 2.832 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59607 | 2.736 | 2.736 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54062 | 2.641 | 2.641 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48517 | 2.546 | 2.546 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42972 | 2.451 | 2.451 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37428 | 2.356 | 2.356 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31883 | 2.261 | 2.261 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26338 | 2.166 | 2.166 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20793 | 2.071 | 2.071 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15248 | 1.976 | 1.976 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09703 | 1.881 | 1.881 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.786 | 1.786 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.714 | 1.714 | |
| 計 | 平均 | | | 73.13926 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 3.429 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 355.47368 | 5.91374 | 9.632 | 9.632 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14862 | 5.128 | 5.128 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09317 | 5.038 | 5.038 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03772 | 4.948 | 4.948 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98228 | 4.857 | 4.857 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92683 | 4.767 | 4.767 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87138 | 4.677 | 4.677 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81593 | 4.587 | 4.587 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76048 | 4.496 | 4.496 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70503 | 4.406 | 4.406 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64959 | 4.316 | 4.316 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59414 | 4.226 | 4.226 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53869 | 4.135 | 4.135 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48324 | 4.045 | 4.045 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42779 | 3.954 | 3.954 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37235 | 3.864 | 3.864 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31690 | 3.773 | 3.773 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26145 | 3.683 | 3.683 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20600 | 3.593 | 3.593 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15055 | 3.503 | 3.503 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09510 | 3.412 | 3.412 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03966 | 3.322 | 3.322 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98421 | 3.232 | 3.232 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92876 | 3.142 | 3.142 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87331 | 3.051 | 3.051 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81786 | 2.961 | 2.961 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76241 | 2.871 | 2.871 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70697 | 2.781 | 2.781 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65152 | 2.690 | 2.690 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59607 | 2.599 | 2.599 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54062 | 2.509 | 2.509 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48517 | 2.419 | 2.419 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42972 | 2.328 | 2.328 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37428 | 2.238 | 2.238 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31883 | 2.148 | 2.148 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26338 | 2.058 | 2.058 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20793 | 1.967 | 1.967 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15248 | 1.877 | 1.877 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09703 | 1.787 | 1.787 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.697 | 1.697 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.628 | 1.628 | |
| 計 | 平均 | | | 73.13926 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 2.346 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 355.47368 | 5.91374 | 6.937 | 6.937 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14862 | 3.693 | 3.693 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09317 | 3.628 | 3.628 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03772 | 3.563 | 3.563 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98228 | 3.498 | 3.498 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92683 | 3.433 | 3.433 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87138 | 3.368 | 3.368 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81593 | 3.303 | 3.303 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76048 | 3.238 | 3.238 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70503 | 3.173 | 3.173 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64959 | 3.108 | 3.108 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59414 | 3.043 | 3.043 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53869 | 2.978 | 2.978 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48324 | 2.913 | 2.913 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42779 | 2.848 | 2.848 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37235 | 2.783 | 2.783 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31690 | 2.718 | 2.718 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26145 | 2.653 | 2.653 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20600 | 2.588 | 2.588 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15055 | 2.523 | 2.523 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09510 | 2.458 | 2.458 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03966 | 2.393 | 2.393 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98421 | 2.327 | 2.327 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92876 | 2.262 | 2.262 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87331 | 2.197 | 2.197 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81786 | 2.132 | 2.132 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76241 | 2.067 | 2.067 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70697 | 2.002 | 2.002 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65152 | 1.937 | 1.937 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59607 | 1.872 | 1.872 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54062 | 1.807 | 1.807 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48517 | 1.742 | 1.742 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42972 | 1.677 | 1.677 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37428 | 1.612 | 1.612 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31883 | 1.547 | 1.547 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26338 | 1.482 | 1.482 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20793 | 1.417 | 1.417 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15248 | 1.352 | 1.352 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09703 | 1.287 | 1.287 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.222 | 1.222 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.173 | 1.173 | |
| 計 | 平均 | | | 73.13926 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 2.346 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 355.47368 | 5.91374 | 6.590 | 6.590 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14862 | 3.508 | 3.508 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09317 | 3.447 | 3.447 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03772 | 3.385 | 3.385 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98228 | 3.323 | 3.323 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92683 | 3.261 | 3.261 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87138 | 3.200 | 3.200 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81593 | 3.138 | 3.138 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76048 | 3.076 | 3.076 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70503 | 3.014 | 3.014 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64959 | 2.953 | 2.953 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59414 | 2.891 | 2.891 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53869 | 2.829 | 2.829 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48324 | 2.767 | 2.767 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42779 | 2.706 | 2.706 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37235 | 2.644 | 2.644 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31690 | 2.582 | 2.582 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26145 | 2.520 | 2.520 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20600 | 2.459 | 2.459 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15055 | 2.397 | 2.397 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09510 | 2.335 | 2.335 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03966 | 2.273 | 2.273 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98421 | 2.211 | 2.211 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92876 | 2.149 | 2.149 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87331 | 2.087 | 2.087 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81786 | 2.025 | 2.025 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76241 | 1.964 | 1.964 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70697 | 1.902 | 1.902 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65152 | 1.840 | 1.840 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59607 | 1.778 | 1.778 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54062 | 1.717 | 1.717 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48517 | 1.655 | 1.655 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42972 | 1.593 | 1.593 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37428 | 1.531 | 1.531 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31883 | 1.470 | 1.470 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26338 | 1.408 | 1.408 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20793 | 1.346 | 1.346 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15248 | 1.284 | 1.284 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09703 | 1.223 | 1.223 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.161 | 1.161 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.114 | 1.114 | |
| 計 | 平均 | | | 73.13926 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 1.580 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 355.47368 | 5.91374 | 4.672 | 4.672 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14862 | 2.487 | 2.487 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09317 | 2.444 | 2.444 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03772 | 2.400 | 2.400 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98228 | 2.356 | 2.356 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92683 | 2.312 | 2.312 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87138 | 2.268 | 2.268 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81593 | 2.225 | 2.225 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76048 | 2.181 | 2.181 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70503 | 2.137 | 2.137 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64959 | 2.093 | 2.093 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59414 | 2.049 | 2.049 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53869 | 2.006 | 2.006 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48324 | 1.962 | 1.962 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42779 | 1.918 | 1.918 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37235 | 1.874 | 1.874 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31690 | 1.830 | 1.830 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26145 | 1.787 | 1.787 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20600 | 1.743 | 1.743 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15055 | 1.699 | 1.699 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09510 | 1.655 | 1.655 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03966 | 1.611 | 1.611 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98421 | 1.568 | 1.568 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92876 | 1.524 | 1.524 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87331 | 1.480 | 1.480 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81786 | 1.436 | 1.436 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76241 | 1.392 | 1.392 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70697 | 1.349 | 1.349 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65152 | 1.305 | 1.305 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59607 | 1.261 | 1.261 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54062 | 1.217 | 1.217 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48517 | 1.173 | 1.173 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42972 | 1.129 | 1.129 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37428 | 1.086 | 1.086 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31883 | 1.042 | 1.042 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26338 | 0.998 | 0.998 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20793 | 0.954 | 0.954 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15248 | 0.910 | 0.910 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09703 | 0.867 | 0.867 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 0.823 | 0.823 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.790 | 0.790 | |
| 計 | 平均 | | | 73.13926 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 1.580 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 355.47368 | 5.91374 | 4.438 | 4.438 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14862 | 2.363 | 2.363 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09317 | 2.322 | 2.322 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03772 | 2.280 | 2.280 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98228 | 2.238 | 2.238 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92683 | 2.196 | 2.196 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87138 | 2.155 | 2.155 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81593 | 2.114 | 2.114 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76048 | 2.072 | 2.072 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70503 | 2.030 | 2.030 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64959 | 1.988 | 1.988 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59414 | 1.947 | 1.947 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53869 | 1.906 | 1.906 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48324 | 1.864 | 1.864 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42779 | 1.822 | 1.822 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37235 | 1.780 | 1.780 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31690 | 1.739 | 1.739 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26145 | 1.698 | 1.698 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20600 | 1.656 | 1.656 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15055 | 1.614 | 1.614 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09510 | 1.572 | 1.572 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03966 | 1.530 | 1.530 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98421 | 1.490 | 1.490 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92876 | 1.448 | 1.448 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87331 | 1.406 | 1.406 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81786 | 1.364 | 1.364 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76241 | 1.322 | 1.322 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70697 | 1.282 | 1.282 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65152 | 1.240 | 1.240 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59607 | 1.198 | 1.198 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54062 | 1.156 | 1.156 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48517 | 1.114 | 1.114 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42972 | 1.073 | 1.073 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37428 | 1.032 | 1.032 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31883 | 0.990 | 0.990 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26338 | 0.948 | 0.948 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20793 | 0.906 | 0.906 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15248 | 0.865 | 0.865 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09703 | 0.824 | 0.824 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 0.782 | 0.782 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.751 | 0.751 | |
| 計 | 平均 | | | 73.13926 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 3.882 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 |
|--------|-----------------|------|-------|-----------|---------|-----------------|---------------|----|
| | | | | 圧縮前 | | | | |
| 20 | 197.5 | ≦* | | 179.87386 | 4.14357 | 8.043 | 8.043 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.72401 | 7.228 | 7.228 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.65371 | 7.092 | 7.092 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.58341 | 6.955 | 6.955 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.51311 | 6.819 | 6.819 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.44282 | 6.683 | 6.683 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.37252 | 6.546 | 6.546 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.30222 | 6.410 | 6.410 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.23193 | 6.273 | 6.273 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.16163 | 6.137 | 6.137 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.09133 | 6.000 | 6.000 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 3.02104 | 5.864 | 5.864 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.95074 | 5.727 | 5.727 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.88044 | 5.591 | 5.591 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.81015 | 5.455 | 5.455 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.73985 | 5.318 | 5.318 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.66955 | 5.182 | 5.182 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.59925 | 5.045 | 5.045 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.52896 | 4.909 | 4.909 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.45866 | 4.772 | 4.772 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.38836 | 4.636 | 4.636 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.31807 | 4.499 | 4.499 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.24777 | 4.363 | 4.363 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.17747 | 4.226 | 4.226 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.10718 | 4.090 | 4.090 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.03688 | 3.954 | 3.954 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.96658 | 3.817 | 3.817 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.89629 | 3.681 | 3.681 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.82599 | 3.544 | 3.544 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.75569 | 3.408 | 3.408 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.68539 | 3.271 | 3.271 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.61510 | 3.135 | 3.135 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.54480 | 2.998 | 2.998 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.47450 | 2.862 | 2.862 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.40421 | 2.726 | 2.726 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.33391 | 2.589 | 2.589 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.26361 | 2.453 | 2.453 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.19332 | 2.316 | 2.316 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12302 | 2.180 | 2.180 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05272 | 2.043 | 2.043 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.941 | 1.941 | |
| 計 | 平均 | | | 57.90157 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 3.882 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 179.87386 | 4.14357 | 7.641 | 7.641 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.72401 | 6.867 | 6.867 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.65371 | 6.737 | 6.737 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.58341 | 6.607 | 6.607 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.51311 | 6.478 | 6.478 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.44282 | 6.349 | 6.349 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.37252 | 6.219 | 6.219 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.30222 | 6.090 | 6.090 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.23193 | 5.959 | 5.959 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.16163 | 5.830 | 5.830 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.09133 | 5.700 | 5.700 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 3.02104 | 5.571 | 5.571 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.95074 | 5.441 | 5.441 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.88044 | 5.311 | 5.311 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.81015 | 5.182 | 5.182 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.73985 | 5.052 | 5.052 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.66955 | 4.923 | 4.923 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.59925 | 4.793 | 4.793 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.52896 | 4.664 | 4.664 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.45866 | 4.533 | 4.533 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.38836 | 4.404 | 4.404 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.31807 | 4.274 | 4.274 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.24777 | 4.145 | 4.145 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.17747 | 4.015 | 4.015 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.10718 | 3.886 | 3.886 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.03688 | 3.756 | 3.756 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.96658 | 3.626 | 3.626 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.89629 | 3.497 | 3.497 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.82599 | 3.367 | 3.367 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.75569 | 3.238 | 3.238 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.68539 | 3.107 | 3.107 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.61510 | 2.978 | 2.978 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.54480 | 2.848 | 2.848 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.47450 | 2.719 | 2.719 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.40421 | 2.590 | 2.590 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.33391 | 2.460 | 2.460 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.26361 | 2.330 | 2.330 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.19332 | 2.200 | 2.200 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12302 | 2.071 | 2.071 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05272 | 1.941 | 1.941 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.844 | 1.844 | |
| 計 | 平均 | | | 57.90157 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 3.829 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 179.87386 | 4.14357 | 7.933 | 7.933 | |
| 19 | 192.5 | ≧* < | 197.5 | 156 | 3.72401 | 7.130 | 7.130 | |
| 18 | 187.5 | ≧* < | 192.5 | 152 | 3.65371 | 6.995 | 6.995 | |
| 17 | 182.5 | ≧* < | 187.5 | 148 | 3.58341 | 6.860 | 6.860 | |
| 16 | 177.5 | ≧* < | 182.5 | 144 | 3.51311 | 6.726 | 6.726 | |
| 15 | 172.5 | ≧* < | 177.5 | 140 | 3.44282 | 6.591 | 6.591 | |
| 14 | 167.5 | ≧* < | 172.5 | 136 | 3.37252 | 6.457 | 6.457 | |
| 13 | 162.5 | ≧* < | 167.5 | 132 | 3.30222 | 6.322 | 6.322 | |
| 12 | 157.5 | ≧* < | 162.5 | 128 | 3.23193 | 6.188 | 6.188 | |
| 11 | 152.5 | ≧* < | 157.5 | 124 | 3.16163 | 6.053 | 6.053 | |
| 10 | 147.5 | ≧* < | 152.5 | 120 | 3.09133 | 5.918 | 5.918 | |
| 9 | 142.5 | ≧* < | 147.5 | 116 | 3.02104 | 5.784 | 5.784 | |
| 8 | 137.5 | ≧* < | 142.5 | 112 | 2.95074 | 5.649 | 5.649 | |
| 7 | 132.5 | ≧* < | 137.5 | 108 | 2.88044 | 5.515 | 5.515 | |
| 6 | 127.5 | ≧* < | 132.5 | 104 | 2.81015 | 5.380 | 5.380 | |
| 5 | 122.5 | ≧* < | 127.5 | 100 | 2.73985 | 5.245 | 5.245 | |
| 4 | 117.5 | ≧* < | 122.5 | 96 | 2.66955 | 5.111 | 5.111 | |
| 3 | 112.5 | ≧* < | 117.5 | 92 | 2.59925 | 4.976 | 4.976 | |
| 2 | 107.5 | ≧* < | 112.5 | 88 | 2.52896 | 4.842 | 4.842 | |
| 1 | 102.5 | ≧* < | 107.5 | 84 | 2.45866 | 4.707 | 4.707 | |
| 0 | 97.5 | ≧* < | 102.5 | 80 | 2.38836 | 4.573 | 4.573 | |
| -1 | 92.5 | ≧* < | 97.5 | 76 | 2.31807 | 4.438 | 4.438 | |
| -2 | 87.5 | ≧* < | 92.5 | 72 | 2.24777 | 4.303 | 4.303 | |
| -3 | 82.5 | ≧* < | 87.5 | 68 | 2.17747 | 4.169 | 4.169 | |
| -4 | 77.5 | ≧* < | 82.5 | 64 | 2.10718 | 4.034 | 4.034 | |
| -5 | 72.5 | ≧* < | 77.5 | 60 | 2.03688 | 3.900 | 3.900 | |
| -6 | 67.5 | ≧* < | 72.5 | 56 | 1.96658 | 3.765 | 3.765 | |
| -7 | 62.5 | ≧* < | 67.5 | 52 | 1.89629 | 3.630 | 3.630 | |
| -8 | 57.5 | ≧* < | 62.5 | 48 | 1.82599 | 3.496 | 3.496 | |
| -9 | 52.5 | ≧* < | 57.5 | 44 | 1.75569 | 3.361 | 3.361 | |
| -10 | 47.5 | ≧* < | 52.5 | 40 | 1.68539 | 3.227 | 3.227 | |
| -11 | 42.5 | ≧* < | 47.5 | 36 | 1.61510 | 3.092 | 3.092 | |
| -12 | 37.5 | ≧* < | 42.5 | 32 | 1.54480 | 2.958 | 2.958 | |
| -13 | 32.5 | ≧* < | 37.5 | 28 | 1.47450 | 2.823 | 2.823 | |
| -14 | 27.5 | ≧* < | 32.5 | 24 | 1.40421 | 2.688 | 2.688 | |
| -15 | 22.5 | ≧* < | 27.5 | 20 | 1.33391 | 2.554 | 2.554 | |
| -16 | 17.5 | ≧* < | 22.5 | 16 | 1.26361 | 2.419 | 2.419 | |
| -17 | 12.5 | ≧* < | 17.5 | 12 | 1.19332 | 2.285 | 2.285 | |
| -18 | 7.5 | ≧* < | 12.5 | 8 | 1.12302 | 2.150 | 2.150 | |
| -19 | 2.5 | ≧* < | 7.5 | 4 | 1.05272 | 2.015 | 2.015 | |
| -20 | 0.0 | ≧* < | 2.5 | 1.00 | 1.00000 | 1.914 | 1.914 | |
| 計 | 平均 | | | 57.90157 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 3.829 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 179.87386 | 4.14357 | 7.536 | 7.536 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.72401 | 6.774 | 6.774 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.65371 | 6.645 | 6.645 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.58341 | 6.517 | 6.517 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.51311 | 6.390 | 6.390 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.44282 | 6.261 | 6.261 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.37252 | 6.134 | 6.134 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.30222 | 6.006 | 6.006 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.23193 | 5.879 | 5.879 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.16163 | 5.750 | 5.750 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.09133 | 5.622 | 5.622 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 3.02104 | 5.495 | 5.495 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.95074 | 5.367 | 5.367 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.88044 | 5.239 | 5.239 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.81015 | 5.111 | 5.111 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.73985 | 4.983 | 4.983 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.66955 | 4.855 | 4.855 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.59925 | 4.727 | 4.727 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.52896 | 4.600 | 4.600 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.45866 | 4.472 | 4.472 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.38836 | 4.344 | 4.344 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.31807 | 4.216 | 4.216 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.24777 | 4.088 | 4.088 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.17747 | 3.961 | 3.961 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.10718 | 3.832 | 3.832 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.03688 | 3.705 | 3.705 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.96658 | 3.577 | 3.577 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.89629 | 3.449 | 3.449 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.82599 | 3.321 | 3.321 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.75569 | 3.193 | 3.193 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.68539 | 3.066 | 3.066 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.61510 | 2.937 | 2.937 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.54480 | 2.810 | 2.810 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.47450 | 2.682 | 2.682 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.40421 | 2.554 | 2.554 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.33391 | 2.426 | 2.426 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.26361 | 2.298 | 2.298 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.19332 | 2.171 | 2.171 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12302 | 2.043 | 2.043 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05272 | 1.914 | 1.914 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.818 | 1.818 | |
| 計 | 平均 | | | 57.90157 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 3.708 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 179.87386 | 4.14357 | 7.682 | 7.682 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.72401 | 6.904 | 6.904 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.65371 | 6.774 | 6.774 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.58341 | 6.644 | 6.644 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.51311 | 6.513 | 6.513 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.44282 | 6.383 | 6.383 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.37252 | 6.253 | 6.253 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.30222 | 6.122 | 6.122 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.23193 | 5.992 | 5.992 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.16163 | 5.862 | 5.862 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.09133 | 5.731 | 5.731 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 3.02104 | 5.601 | 5.601 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.95074 | 5.471 | 5.471 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.88044 | 5.340 | 5.340 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.81015 | 5.210 | 5.210 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.73985 | 5.080 | 5.080 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.66955 | 4.949 | 4.949 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.59925 | 4.819 | 4.819 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.52896 | 4.689 | 4.689 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.45866 | 4.558 | 4.558 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.38836 | 4.428 | 4.428 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.31807 | 4.298 | 4.298 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.24777 | 4.167 | 4.167 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.17747 | 4.037 | 4.037 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.10718 | 3.907 | 3.907 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.03688 | 3.776 | 3.776 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.96658 | 3.646 | 3.646 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.89629 | 3.516 | 3.516 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.82599 | 3.385 | 3.385 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.75569 | 3.255 | 3.255 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.68539 | 3.125 | 3.125 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.61510 | 2.994 | 2.994 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.54480 | 2.864 | 2.864 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.47450 | 2.734 | 2.734 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.40421 | 2.603 | 2.603 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.33391 | 2.473 | 2.473 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.26361 | 2.343 | 2.343 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.19332 | 2.212 | 2.212 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12302 | 2.082 | 2.082 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05272 | 1.952 | 1.952 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.854 | 1.854 | |
| 計 | 平均 | | | 57.90157 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 3.708 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 179.87386 | 4.14357 | 7.298 | 7.298 | |
| 19 | 192.5 | ≧* < | 197.5 | 156 | 3.72401 | 6.559 | 6.559 | |
| 18 | 187.5 | ≧* < | 192.5 | 152 | 3.65371 | 6.435 | 6.435 | |
| 17 | 182.5 | ≧* < | 187.5 | 148 | 3.58341 | 6.312 | 6.312 | |
| 16 | 177.5 | ≧* < | 182.5 | 144 | 3.51311 | 6.187 | 6.187 | |
| 15 | 172.5 | ≧* < | 177.5 | 140 | 3.44282 | 6.064 | 6.064 | |
| 14 | 167.5 | ≧* < | 172.5 | 136 | 3.37252 | 5.940 | 5.940 | |
| 13 | 162.5 | ≧* < | 167.5 | 132 | 3.30222 | 5.816 | 5.816 | |
| 12 | 157.5 | ≧* < | 162.5 | 128 | 3.23193 | 5.692 | 5.692 | |
| 11 | 152.5 | ≧* < | 157.5 | 124 | 3.16163 | 5.569 | 5.569 | |
| 10 | 147.5 | ≧* < | 152.5 | 120 | 3.09133 | 5.444 | 5.444 | |
| 9 | 142.5 | ≧* < | 147.5 | 116 | 3.02104 | 5.321 | 5.321 | |
| 8 | 137.5 | ≧* < | 142.5 | 112 | 2.95074 | 5.197 | 5.197 | |
| 7 | 132.5 | ≧* < | 137.5 | 108 | 2.88044 | 5.073 | 5.073 | |
| 6 | 127.5 | ≧* < | 132.5 | 104 | 2.81015 | 4.950 | 4.950 | |
| 5 | 122.5 | ≧* < | 127.5 | 100 | 2.73985 | 4.826 | 4.826 | |
| 4 | 117.5 | ≧* < | 122.5 | 96 | 2.66955 | 4.702 | 4.702 | |
| 3 | 112.5 | ≧* < | 117.5 | 92 | 2.59925 | 4.578 | 4.578 | |
| 2 | 107.5 | ≧* < | 112.5 | 88 | 2.52896 | 4.455 | 4.455 | |
| 1 | 102.5 | ≧* < | 107.5 | 84 | 2.45866 | 4.330 | 4.330 | |
| 0 | 97.5 | ≧* < | 102.5 | 80 | 2.38836 | 4.207 | 4.207 | |
| -1 | 92.5 | ≧* < | 97.5 | 76 | 2.31807 | 4.083 | 4.083 | |
| -2 | 87.5 | ≧* < | 92.5 | 72 | 2.24777 | 3.959 | 3.959 | |
| -3 | 82.5 | ≧* < | 87.5 | 68 | 2.17747 | 3.835 | 3.835 | |
| -4 | 77.5 | ≧* < | 82.5 | 64 | 2.10718 | 3.712 | 3.712 | |
| -5 | 72.5 | ≧* < | 77.5 | 60 | 2.03688 | 3.587 | 3.587 | |
| -6 | 67.5 | ≧* < | 72.5 | 56 | 1.96658 | 3.464 | 3.464 | |
| -7 | 62.5 | ≧* < | 67.5 | 52 | 1.89629 | 3.340 | 3.340 | |
| -8 | 57.5 | ≧* < | 62.5 | 48 | 1.82599 | 3.216 | 3.216 | |
| -9 | 52.5 | ≧* < | 57.5 | 44 | 1.75569 | 3.092 | 3.092 | |
| -10 | 47.5 | ≧* < | 52.5 | 40 | 1.68539 | 2.969 | 2.969 | |
| -11 | 42.5 | ≧* < | 47.5 | 36 | 1.61510 | 2.844 | 2.844 | |
| -12 | 37.5 | ≧* < | 42.5 | 32 | 1.54480 | 2.721 | 2.721 | |
| -13 | 32.5 | ≧* < | 37.5 | 28 | 1.47450 | 2.597 | 2.597 | |
| -14 | 27.5 | ≧* < | 32.5 | 24 | 1.40421 | 2.473 | 2.473 | |
| -15 | 22.5 | ≧* < | 27.5 | 20 | 1.33391 | 2.349 | 2.349 | |
| -16 | 17.5 | ≧* < | 22.5 | 16 | 1.26361 | 2.226 | 2.226 | |
| -17 | 12.5 | ≧* < | 17.5 | 12 | 1.19332 | 2.101 | 2.101 | |
| -18 | 7.5 | ≧* < | 12.5 | 8 | 1.12302 | 1.978 | 1.978 | |
| -19 | 2.5 | ≧* < | 7.5 | 4 | 1.05272 | 1.854 | 1.854 | |
| -20 | 0.0 | ≧* < | 2.5 | 1.00 | 1.00000 | 1.761 | 1.761 | |
| 計 | 平均 | | | 57.90157 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 2.626 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 179.87386 | 4.14357 | 5.441 | 5.441 | |
| 19 | 192.5 | ≧* < | 197.5 | 156 | 3.72401 | 4.890 | 4.890 | |
| 18 | 187.5 | ≧* < | 192.5 | 152 | 3.65371 | 4.797 | 4.797 | |
| 17 | 182.5 | ≧* < | 187.5 | 148 | 3.58341 | 4.705 | 4.705 | |
| 16 | 177.5 | ≧* < | 182.5 | 144 | 3.51311 | 4.613 | 4.613 | |
| 15 | 172.5 | ≧* < | 177.5 | 140 | 3.44282 | 4.520 | 4.520 | |
| 14 | 167.5 | ≧* < | 172.5 | 136 | 3.37252 | 4.428 | 4.428 | |
| 13 | 162.5 | ≧* < | 167.5 | 132 | 3.30222 | 4.336 | 4.336 | |
| 12 | 157.5 | ≧* < | 162.5 | 128 | 3.23193 | 4.244 | 4.244 | |
| 11 | 152.5 | ≧* < | 157.5 | 124 | 3.16163 | 4.151 | 4.151 | |
| 10 | 147.5 | ≧* < | 152.5 | 120 | 3.09133 | 4.059 | 4.059 | |
| 9 | 142.5 | ≧* < | 147.5 | 116 | 3.02104 | 3.967 | 3.967 | |
| 8 | 137.5 | ≧* < | 142.5 | 112 | 2.95074 | 3.874 | 3.874 | |
| 7 | 132.5 | ≧* < | 137.5 | 108 | 2.88044 | 3.782 | 3.782 | |
| 6 | 127.5 | ≧* < | 132.5 | 104 | 2.81015 | 3.690 | 3.690 | |
| 5 | 122.5 | ≧* < | 127.5 | 100 | 2.73985 | 3.597 | 3.597 | |
| 4 | 117.5 | ≧* < | 122.5 | 96 | 2.66955 | 3.505 | 3.505 | |
| 3 | 112.5 | ≧* < | 117.5 | 92 | 2.59925 | 3.413 | 3.413 | |
| 2 | 107.5 | ≧* < | 112.5 | 88 | 2.52896 | 3.321 | 3.321 | |
| 1 | 102.5 | ≧* < | 107.5 | 84 | 2.45866 | 3.228 | 3.228 | |
| 0 | 97.5 | ≧* < | 102.5 | 80 | 2.38836 | 3.136 | 3.136 | |
| -1 | 92.5 | ≧* < | 97.5 | 76 | 2.31807 | 3.044 | 3.044 | |
| -2 | 87.5 | ≧* < | 92.5 | 72 | 2.24777 | 2.951 | 2.951 | |
| -3 | 82.5 | ≧* < | 87.5 | 68 | 2.17747 | 2.859 | 2.859 | |
| -4 | 77.5 | ≧* < | 82.5 | 64 | 2.10718 | 2.767 | 2.767 | |
| -5 | 72.5 | ≧* < | 77.5 | 60 | 2.03688 | 2.674 | 2.674 | |
| -6 | 67.5 | ≧* < | 72.5 | 56 | 1.96658 | 2.582 | 2.582 | |
| -7 | 62.5 | ≧* < | 67.5 | 52 | 1.89629 | 2.490 | 2.490 | |
| -8 | 57.5 | ≧* < | 62.5 | 48 | 1.82599 | 2.398 | 2.398 | |
| -9 | 52.5 | ≧* < | 57.5 | 44 | 1.75569 | 2.305 | 2.305 | |
| -10 | 47.5 | ≧* < | 52.5 | 40 | 1.68539 | 2.213 | 2.213 | |
| -11 | 42.5 | ≧* < | 47.5 | 36 | 1.61510 | 2.121 | 2.121 | |
| -12 | 37.5 | ≧* < | 42.5 | 32 | 1.54480 | 2.028 | 2.028 | |
| -13 | 32.5 | ≧* < | 37.5 | 28 | 1.47450 | 1.936 | 1.936 | |
| -14 | 27.5 | ≧* < | 32.5 | 24 | 1.40421 | 1.844 | 1.844 | |
| -15 | 22.5 | ≧* < | 27.5 | 20 | 1.33391 | 1.751 | 1.751 | |
| -16 | 17.5 | ≧* < | 22.5 | 16 | 1.26361 | 1.659 | 1.659 | |
| -17 | 12.5 | ≧* < | 17.5 | 12 | 1.19332 | 1.567 | 1.567 | |
| -18 | 7.5 | ≧* < | 12.5 | 8 | 1.12302 | 1.475 | 1.475 | |
| -19 | 2.5 | ≧* < | 7.5 | 4 | 1.05272 | 1.382 | 1.382 | |
| -20 | 0.0 | ≧* < | 2.5 | 1.00 | 1.00000 | 1.313 | 1.313 | |
| 計 | 平均 | | | 57.90157 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 2.626 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 179.87386 | 4.14357 | 5.169 | 5.169 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.72401 | 4.646 | 4.646 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.65371 | 4.557 | 4.557 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.58341 | 4.470 | 4.470 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.51311 | 4.382 | 4.382 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.44282 | 4.294 | 4.294 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.37252 | 4.207 | 4.207 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.30222 | 4.119 | 4.119 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.23193 | 4.032 | 4.032 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.16163 | 3.943 | 3.943 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.09133 | 3.856 | 3.856 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 3.02104 | 3.769 | 3.769 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.95074 | 3.680 | 3.680 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.88044 | 3.593 | 3.593 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.81015 | 3.506 | 3.506 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.73985 | 3.417 | 3.417 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.66955 | 3.330 | 3.330 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.59925 | 3.242 | 3.242 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.52896 | 3.155 | 3.155 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.45866 | 3.067 | 3.067 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.38836 | 2.979 | 2.979 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.31807 | 2.892 | 2.892 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.24777 | 2.803 | 2.803 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.17747 | 2.716 | 2.716 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.10718 | 2.629 | 2.629 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.03688 | 2.540 | 2.540 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.96658 | 2.453 | 2.453 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.89629 | 2.366 | 2.366 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.82599 | 2.278 | 2.278 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.75569 | 2.190 | 2.190 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.68539 | 2.102 | 2.102 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.61510 | 2.015 | 2.015 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.54480 | 1.927 | 1.927 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.47450 | 1.839 | 1.839 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.40421 | 1.752 | 1.752 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.33391 | 1.663 | 1.663 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.26361 | 1.576 | 1.576 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.19332 | 1.489 | 1.489 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12302 | 1.401 | 1.401 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05272 | 1.313 | 1.313 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.247 | 1.247 | |
| 計 | 平均 | | | 57.90157 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 1.615 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 179.87386 | 4.14357 | 3.346 | 3.346 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.72401 | 3.007 | 3.007 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.65371 | 2.950 | 2.950 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.58341 | 2.894 | 2.894 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.51311 | 2.837 | 2.837 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.44282 | 2.780 | 2.780 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.37252 | 2.723 | 2.723 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.30222 | 2.667 | 2.667 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.23193 | 2.610 | 2.610 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.16163 | 2.553 | 2.553 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.09133 | 2.496 | 2.496 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 3.02104 | 2.439 | 2.439 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.95074 | 2.383 | 2.383 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.88044 | 2.326 | 2.326 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.81015 | 2.269 | 2.269 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.73985 | 2.212 | 2.212 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.66955 | 2.156 | 2.156 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.59925 | 2.099 | 2.099 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.52896 | 2.042 | 2.042 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.45866 | 1.985 | 1.985 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.38836 | 1.929 | 1.929 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.31807 | 1.872 | 1.872 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.24777 | 1.815 | 1.815 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.17747 | 1.758 | 1.758 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.10718 | 1.702 | 1.702 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.03688 | 1.645 | 1.645 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.96658 | 1.588 | 1.588 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.89629 | 1.531 | 1.531 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.82599 | 1.474 | 1.474 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.75569 | 1.418 | 1.418 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.68539 | 1.361 | 1.361 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.61510 | 1.304 | 1.304 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.54480 | 1.247 | 1.247 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.47450 | 1.191 | 1.191 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.40421 | 1.134 | 1.134 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.33391 | 1.077 | 1.077 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.26361 | 1.020 | 1.020 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.19332 | 0.964 | 0.964 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12302 | 0.907 | 0.907 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05272 | 0.850 | 0.850 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.807 | 0.807 | |
| 計 | 平均 | | | 57.90157 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 1.615 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 179.87386 | 4.14357 | 3.179 | 3.179 | |
| 19 | 192.5 | ≧* < | 197.5 | 156 | 3.72401 | 2.857 | 2.857 | |
| 18 | 187.5 | ≧* < | 192.5 | 152 | 3.65371 | 2.803 | 2.803 | |
| 17 | 182.5 | ≧* < | 187.5 | 148 | 3.58341 | 2.749 | 2.749 | |
| 16 | 177.5 | ≧* < | 182.5 | 144 | 3.51311 | 2.695 | 2.695 | |
| 15 | 172.5 | ≧* < | 177.5 | 140 | 3.44282 | 2.641 | 2.641 | |
| 14 | 167.5 | ≧* < | 172.5 | 136 | 3.37252 | 2.587 | 2.587 | |
| 13 | 162.5 | ≧* < | 167.5 | 132 | 3.30222 | 2.534 | 2.534 | |
| 12 | 157.5 | ≧* < | 162.5 | 128 | 3.23193 | 2.480 | 2.480 | |
| 11 | 152.5 | ≧* < | 157.5 | 124 | 3.16163 | 2.425 | 2.425 | |
| 10 | 147.5 | ≧* < | 152.5 | 120 | 3.09133 | 2.371 | 2.371 | |
| 9 | 142.5 | ≧* < | 147.5 | 116 | 3.02104 | 2.317 | 2.317 | |
| 8 | 137.5 | ≧* < | 142.5 | 112 | 2.95074 | 2.264 | 2.264 | |
| 7 | 132.5 | ≧* < | 137.5 | 108 | 2.88044 | 2.210 | 2.210 | |
| 6 | 127.5 | ≧* < | 132.5 | 104 | 2.81015 | 2.156 | 2.156 | |
| 5 | 122.5 | ≧* < | 127.5 | 100 | 2.73985 | 2.101 | 2.101 | |
| 4 | 117.5 | ≧* < | 122.5 | 96 | 2.66955 | 2.048 | 2.048 | |
| 3 | 112.5 | ≧* < | 117.5 | 92 | 2.59925 | 1.994 | 1.994 | |
| 2 | 107.5 | ≧* < | 112.5 | 88 | 2.52896 | 1.940 | 1.940 | |
| 1 | 102.5 | ≧* < | 107.5 | 84 | 2.45866 | 1.886 | 1.886 | |
| 0 | 97.5 | ≧* < | 102.5 | 80 | 2.38836 | 1.833 | 1.833 | |
| -1 | 92.5 | ≧* < | 97.5 | 76 | 2.31807 | 1.778 | 1.778 | |
| -2 | 87.5 | ≧* < | 92.5 | 72 | 2.24777 | 1.724 | 1.724 | |
| -3 | 82.5 | ≧* < | 87.5 | 68 | 2.17747 | 1.670 | 1.670 | |
| -4 | 77.5 | ≧* < | 82.5 | 64 | 2.10718 | 1.617 | 1.617 | |
| -5 | 72.5 | ≧* < | 77.5 | 60 | 2.03688 | 1.563 | 1.563 | |
| -6 | 67.5 | ≧* < | 72.5 | 56 | 1.96658 | 1.509 | 1.509 | |
| -7 | 62.5 | ≧* < | 67.5 | 52 | 1.89629 | 1.454 | 1.454 | |
| -8 | 57.5 | ≧* < | 62.5 | 48 | 1.82599 | 1.400 | 1.400 | |
| -9 | 52.5 | ≧* < | 57.5 | 44 | 1.75569 | 1.347 | 1.347 | |
| -10 | 47.5 | ≧* < | 52.5 | 40 | 1.68539 | 1.293 | 1.293 | |
| -11 | 42.5 | ≧* < | 47.5 | 36 | 1.61510 | 1.239 | 1.239 | |
| -12 | 37.5 | ≧* < | 42.5 | 32 | 1.54480 | 1.185 | 1.185 | |
| -13 | 32.5 | ≧* < | 37.5 | 28 | 1.47450 | 1.131 | 1.131 | |
| -14 | 27.5 | ≧* < | 32.5 | 24 | 1.40421 | 1.077 | 1.077 | |
| -15 | 22.5 | ≧* < | 27.5 | 20 | 1.33391 | 1.023 | 1.023 | |
| -16 | 17.5 | ≧* < | 22.5 | 16 | 1.26361 | 0.969 | 0.969 | |
| -17 | 12.5 | ≧* < | 17.5 | 12 | 1.19332 | 0.916 | 0.916 | |
| -18 | 7.5 | ≧* < | 12.5 | 8 | 1.12302 | 0.862 | 0.862 | |
| -19 | 2.5 | ≧* < | 7.5 | 4 | 1.05272 | 0.808 | 0.808 | |
| -20 | 0.0 | ≧* < | 2.5 | 1.00 | 1.00000 | 0.767 | 0.767 | |
| 計 | 平均 | | | 57.90157 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 3.404 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.72654 | 6.343 | 6.343 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.65795 | 6.226 | 6.226 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.58936 | 6.109 | 6.109 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.52076 | 5.992 | 5.992 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.45217 | 5.876 | 5.876 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.38358 | 5.759 | 5.759 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.31499 | 5.642 | 5.642 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.24639 | 5.525 | 5.525 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.17780 | 5.409 | 5.409 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.10921 | 5.292 | 5.292 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.04062 | 5.175 | 5.175 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.97203 | 5.058 | 5.058 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.90343 | 4.942 | 4.942 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.83484 | 4.825 | 4.825 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.76625 | 4.708 | 4.708 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.69766 | 4.591 | 4.591 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.62906 | 4.475 | 4.475 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.56047 | 4.358 | 4.358 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.49188 | 4.241 | 4.241 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.42329 | 4.124 | 4.124 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.35470 | 4.008 | 4.008 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.28610 | 3.891 | 3.891 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.21751 | 3.774 | 3.774 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.14892 | 3.657 | 3.657 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.08033 | 3.541 | 3.541 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.01173 | 3.424 | 3.424 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.94314 | 3.307 | 3.307 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.87455 | 3.190 | 3.190 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.80596 | 3.074 | 3.074 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.73737 | 2.957 | 2.957 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66877 | 2.840 | 2.840 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.60018 | 2.724 | 2.724 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.53159 | 2.607 | 2.607 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.46300 | 2.490 | 2.490 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.39441 | 2.373 | 2.373 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32581 | 2.257 | 2.257 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25722 | 2.140 | 2.140 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18863 | 2.023 | 2.023 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12004 | 1.906 | 1.906 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05144 | 1.790 | 1.790 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.702 | 1.702 | |
| 計 | 平均 | | | 59.31566 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 3.404 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.72654 | 6.026 | 6.026 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.65795 | 5.915 | 5.915 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.58936 | 5.804 | 5.804 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.52076 | 5.692 | 5.692 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.45217 | 5.582 | 5.582 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.38358 | 5.471 | 5.471 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.31499 | 5.360 | 5.360 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.24639 | 5.249 | 5.249 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.17780 | 5.139 | 5.139 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.10921 | 5.027 | 5.027 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.04062 | 4.916 | 4.916 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.97203 | 4.805 | 4.805 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.90343 | 4.695 | 4.695 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.83484 | 4.584 | 4.584 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.76625 | 4.473 | 4.473 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.69766 | 4.361 | 4.361 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.62906 | 4.251 | 4.251 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.56047 | 4.140 | 4.140 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.49188 | 4.029 | 4.029 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.42329 | 3.918 | 3.918 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.35470 | 3.808 | 3.808 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.28610 | 3.696 | 3.696 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.21751 | 3.585 | 3.585 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.14892 | 3.474 | 3.474 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.08033 | 3.364 | 3.364 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.01173 | 3.253 | 3.253 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.94314 | 3.142 | 3.142 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.87455 | 3.031 | 3.031 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.80596 | 2.920 | 2.920 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.73737 | 2.809 | 2.809 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66877 | 2.698 | 2.698 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.60018 | 2.588 | 2.588 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.53159 | 2.477 | 2.477 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.46300 | 2.366 | 2.366 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.39441 | 2.254 | 2.254 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32581 | 2.144 | 2.144 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25722 | 2.033 | 2.033 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18863 | 1.922 | 1.922 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12004 | 1.811 | 1.811 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05144 | 1.701 | 1.701 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.617 | 1.617 | |
| 計 | 平均 | | | 59.31566 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 3.380 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.72654 | 6.298 | 6.298 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.65795 | 6.182 | 6.182 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.58936 | 6.066 | 6.066 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.52076 | 5.950 | 5.950 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.45217 | 5.834 | 5.834 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.38358 | 5.718 | 5.718 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.31499 | 5.602 | 5.602 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.24639 | 5.486 | 5.486 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.17780 | 5.370 | 5.370 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.10921 | 5.255 | 5.255 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.04062 | 5.139 | 5.139 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.97203 | 5.023 | 5.023 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.90343 | 4.907 | 4.907 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.83484 | 4.791 | 4.791 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.76625 | 4.675 | 4.675 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.69766 | 4.559 | 4.559 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.62906 | 4.443 | 4.443 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.56047 | 4.327 | 4.327 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.49188 | 4.211 | 4.211 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.42329 | 4.095 | 4.095 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.35470 | 3.979 | 3.979 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.28610 | 3.864 | 3.864 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.21751 | 3.748 | 3.748 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.14892 | 3.632 | 3.632 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.08033 | 3.516 | 3.516 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.01173 | 3.400 | 3.400 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.94314 | 3.284 | 3.284 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.87455 | 3.168 | 3.168 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.80596 | 3.052 | 3.052 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.73737 | 2.936 | 2.936 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66877 | 2.820 | 2.820 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.60018 | 2.704 | 2.704 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.53159 | 2.588 | 2.588 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.46300 | 2.472 | 2.472 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.39441 | 2.357 | 2.357 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32581 | 2.241 | 2.241 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25722 | 2.125 | 2.125 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18863 | 2.009 | 2.009 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12004 | 1.893 | 1.893 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05144 | 1.777 | 1.777 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.690 | 1.690 | |
| 計 | 平均 | | | 59.31566 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 3.380 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.72654 | 5.983 | 5.983 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.65795 | 5.873 | 5.873 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.58936 | 5.763 | 5.763 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.52076 | 5.653 | 5.653 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.45217 | 5.542 | 5.542 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.38358 | 5.432 | 5.432 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.31499 | 5.322 | 5.322 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.24639 | 5.212 | 5.212 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.17780 | 5.102 | 5.102 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.10921 | 4.992 | 4.992 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.04062 | 4.882 | 4.882 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.97203 | 4.772 | 4.772 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.90343 | 4.662 | 4.662 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.83484 | 4.551 | 4.551 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.76625 | 4.441 | 4.441 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.69766 | 4.331 | 4.331 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.62906 | 4.221 | 4.221 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.56047 | 4.111 | 4.111 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.49188 | 4.000 | 4.000 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.42329 | 3.890 | 3.890 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.35470 | 3.780 | 3.780 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.28610 | 3.671 | 3.671 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.21751 | 3.561 | 3.561 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.14892 | 3.450 | 3.450 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.08033 | 3.340 | 3.340 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.01173 | 3.230 | 3.230 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.94314 | 3.120 | 3.120 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.87455 | 3.010 | 3.010 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.80596 | 2.899 | 2.899 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.73737 | 2.789 | 2.789 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66877 | 2.679 | 2.679 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.60018 | 2.569 | 2.569 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.53159 | 2.459 | 2.459 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.46300 | 2.348 | 2.348 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.39441 | 2.239 | 2.239 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32581 | 2.129 | 2.129 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25722 | 2.019 | 2.019 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18863 | 1.909 | 1.909 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12004 | 1.798 | 1.798 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05144 | 1.688 | 1.688 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.606 | 1.606 | |
| 計 | 平均 | | | 59.31566 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 3.282 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.72654 | 6.115 | 6.115 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.65795 | 6.003 | 6.003 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.58936 | 5.890 | 5.890 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.52076 | 5.778 | 5.778 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.45217 | 5.665 | 5.665 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.38358 | 5.552 | 5.552 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.31499 | 5.440 | 5.440 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.24639 | 5.327 | 5.327 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.17780 | 5.215 | 5.215 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.10921 | 5.102 | 5.102 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.04062 | 4.990 | 4.990 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.97203 | 4.877 | 4.877 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.90343 | 4.765 | 4.765 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.83484 | 4.652 | 4.652 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.76625 | 4.539 | 4.539 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.69766 | 4.427 | 4.427 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.62906 | 4.314 | 4.314 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.56047 | 4.202 | 4.202 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.49188 | 4.089 | 4.089 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.42329 | 3.977 | 3.977 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.35470 | 3.864 | 3.864 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.28610 | 3.751 | 3.751 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.21751 | 3.639 | 3.639 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.14892 | 3.526 | 3.526 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.08033 | 3.414 | 3.414 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.01173 | 3.301 | 3.301 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.94314 | 3.189 | 3.189 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.87455 | 3.076 | 3.076 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.80596 | 2.964 | 2.964 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.73737 | 2.851 | 2.851 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66877 | 2.738 | 2.738 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.60018 | 2.626 | 2.626 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.53159 | 2.513 | 2.513 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.46300 | 2.401 | 2.401 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.39441 | 2.288 | 2.288 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32581 | 2.176 | 2.176 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25722 | 2.063 | 2.063 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18863 | 1.951 | 1.951 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12004 | 1.838 | 1.838 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05144 | 1.725 | 1.725 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.641 | 1.641 | |
| 計 | 平均 | | | 59.31566 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 3.282 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.72654 | 5.809 | 5.809 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.65795 | 5.703 | 5.703 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.58936 | 5.596 | 5.596 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.52076 | 5.489 | 5.489 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.45217 | 5.382 | 5.382 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.38358 | 5.274 | 5.274 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.31499 | 5.168 | 5.168 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.24639 | 5.061 | 5.061 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.17780 | 4.954 | 4.954 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.10921 | 4.847 | 4.847 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.04062 | 4.741 | 4.741 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.97203 | 4.633 | 4.633 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.90343 | 4.527 | 4.527 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.83484 | 4.419 | 4.419 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.76625 | 4.312 | 4.312 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.69766 | 4.206 | 4.206 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.62906 | 4.098 | 4.098 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.56047 | 3.992 | 3.992 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.49188 | 3.885 | 3.885 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.42329 | 3.778 | 3.778 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.35470 | 3.671 | 3.671 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.28610 | 3.563 | 3.563 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.21751 | 3.457 | 3.457 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.14892 | 3.350 | 3.350 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.08033 | 3.243 | 3.243 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.01173 | 3.136 | 3.136 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.94314 | 3.030 | 3.030 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.87455 | 2.922 | 2.922 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.80596 | 2.816 | 2.816 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.73737 | 2.708 | 2.708 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66877 | 2.601 | 2.601 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.60018 | 2.495 | 2.495 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.53159 | 2.387 | 2.387 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.46300 | 2.281 | 2.281 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.39441 | 2.174 | 2.174 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32581 | 2.067 | 2.067 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25722 | 1.960 | 1.960 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18863 | 1.853 | 1.853 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12004 | 1.746 | 1.746 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05144 | 1.639 | 1.639 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.559 | 1.559 | |
| 計 | 平均 | | | 59.31566 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 2.267 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.72654 | 4.224 | 4.224 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.65795 | 4.146 | 4.146 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.58936 | 4.069 | 4.069 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.52076 | 3.991 | 3.991 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.45217 | 3.913 | 3.913 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.38358 | 3.835 | 3.835 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.31499 | 3.758 | 3.758 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.24639 | 3.680 | 3.680 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.17780 | 3.602 | 3.602 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.10921 | 3.524 | 3.524 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.04062 | 3.447 | 3.447 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.97203 | 3.369 | 3.369 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.90343 | 3.291 | 3.291 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.83484 | 3.213 | 3.213 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.76625 | 3.136 | 3.136 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.69766 | 3.058 | 3.058 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.62906 | 2.980 | 2.980 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.56047 | 2.902 | 2.902 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.49188 | 2.825 | 2.825 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.42329 | 2.747 | 2.747 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.35470 | 2.669 | 2.669 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.28610 | 2.591 | 2.591 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.21751 | 2.514 | 2.514 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.14892 | 2.436 | 2.436 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.08033 | 2.358 | 2.358 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.01173 | 2.280 | 2.280 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.94314 | 2.203 | 2.203 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.87455 | 2.125 | 2.125 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.80596 | 2.047 | 2.047 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.73737 | 1.969 | 1.969 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66877 | 1.892 | 1.892 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.60018 | 1.814 | 1.814 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.53159 | 1.736 | 1.736 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.46300 | 1.658 | 1.658 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.39441 | 1.581 | 1.581 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32581 | 1.503 | 1.503 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25722 | 1.425 | 1.425 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18863 | 1.347 | 1.347 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12004 | 1.270 | 1.270 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05144 | 1.192 | 1.192 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.133 | 1.133 | |
| 計 | 平均 | | | 59.31566 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 2.267 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.72654 | 4.013 | 4.013 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.65795 | 3.939 | 3.939 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.58936 | 3.866 | 3.866 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.52076 | 3.791 | 3.791 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.45217 | 3.717 | 3.717 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.38358 | 3.643 | 3.643 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.31499 | 3.570 | 3.570 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.24639 | 3.496 | 3.496 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.17780 | 3.422 | 3.422 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.10921 | 3.348 | 3.348 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.04062 | 3.275 | 3.275 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.97203 | 3.201 | 3.201 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.90343 | 3.126 | 3.126 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.83484 | 3.052 | 3.052 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.76625 | 2.979 | 2.979 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.69766 | 2.905 | 2.905 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.62906 | 2.831 | 2.831 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.56047 | 2.757 | 2.757 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.49188 | 2.684 | 2.684 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.42329 | 2.610 | 2.610 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.35470 | 2.536 | 2.536 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.28610 | 2.461 | 2.461 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.21751 | 2.388 | 2.388 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.14892 | 2.314 | 2.314 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.08033 | 2.240 | 2.240 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.01173 | 2.166 | 2.166 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.94314 | 2.093 | 2.093 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.87455 | 2.019 | 2.019 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.80596 | 1.945 | 1.945 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.73737 | 1.871 | 1.871 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66877 | 1.797 | 1.797 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.60018 | 1.723 | 1.723 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.53159 | 1.649 | 1.649 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.46300 | 1.575 | 1.575 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.39441 | 1.502 | 1.502 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32581 | 1.428 | 1.428 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25722 | 1.354 | 1.354 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18863 | 1.280 | 1.280 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12004 | 1.207 | 1.207 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05144 | 1.132 | 1.132 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.076 | 1.076 | |
| 計 | 平均 | | | 59.31566 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 1.319 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.72654 | 2.458 | 2.458 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.65795 | 2.412 | 2.412 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.58936 | 2.367 | 2.367 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.52076 | 2.322 | 2.322 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.45217 | 2.277 | 2.277 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.38358 | 2.231 | 2.231 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.31499 | 2.186 | 2.186 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.24639 | 2.141 | 2.141 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.17780 | 2.096 | 2.096 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.10921 | 2.051 | 2.051 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.04062 | 2.005 | 2.005 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.97203 | 1.960 | 1.960 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.90343 | 1.915 | 1.915 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.83484 | 1.870 | 1.870 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.76625 | 1.824 | 1.824 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.69766 | 1.779 | 1.779 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.62906 | 1.734 | 1.734 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.56047 | 1.689 | 1.689 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.49188 | 1.643 | 1.643 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.42329 | 1.598 | 1.598 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.35470 | 1.553 | 1.553 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.28610 | 1.508 | 1.508 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.21751 | 1.462 | 1.462 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.14892 | 1.417 | 1.417 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.08033 | 1.372 | 1.372 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.01173 | 1.327 | 1.327 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.94314 | 1.282 | 1.282 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.87455 | 1.236 | 1.236 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.80596 | 1.191 | 1.191 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.73737 | 1.146 | 1.146 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66877 | 1.101 | 1.101 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.60018 | 1.055 | 1.055 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.53159 | 1.010 | 1.010 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.46300 | 0.965 | 0.965 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.39441 | 0.920 | 0.920 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32581 | 0.874 | 0.874 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25722 | 0.829 | 0.829 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18863 | 0.784 | 0.784 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12004 | 0.739 | 0.739 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05144 | 0.693 | 0.693 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.659 | 0.659 | |
| 計 | 平均 | | | 59.31566 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 1.319 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.72654 | 2.335 | 2.335 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.65795 | 2.291 | 2.291 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.58936 | 2.249 | 2.249 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.52076 | 2.206 | 2.206 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.45217 | 2.163 | 2.163 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.38358 | 2.119 | 2.119 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.31499 | 2.077 | 2.077 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.24639 | 2.034 | 2.034 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.17780 | 1.991 | 1.991 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.10921 | 1.948 | 1.948 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.04062 | 1.905 | 1.905 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.97203 | 1.862 | 1.862 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.90343 | 1.819 | 1.819 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.83484 | 1.777 | 1.777 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.76625 | 1.733 | 1.733 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.69766 | 1.690 | 1.690 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.62906 | 1.647 | 1.647 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.56047 | 1.605 | 1.605 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.49188 | 1.561 | 1.561 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.42329 | 1.518 | 1.518 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.35470 | 1.475 | 1.475 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.28610 | 1.433 | 1.433 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.21751 | 1.389 | 1.389 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.14892 | 1.346 | 1.346 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.08033 | 1.303 | 1.303 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.01173 | 1.261 | 1.261 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.94314 | 1.218 | 1.218 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.87455 | 1.174 | 1.174 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.80596 | 1.131 | 1.131 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.73737 | 1.089 | 1.089 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66877 | 1.046 | 1.046 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.60018 | 1.002 | 1.002 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.53159 | 0.960 | 0.960 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.46300 | 0.917 | 0.917 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.39441 | 0.874 | 0.874 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32581 | 0.830 | 0.830 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25722 | 0.788 | 0.788 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18863 | 0.745 | 0.745 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.12004 | 0.702 | 0.702 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05144 | 0.658 | 0.658 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.626 | 0.626 | |
| 計 | 平均 | | | 59.31566 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 3.489 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.20444 | 5.590 | 5.590 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14898 | 5.493 | 5.493 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09352 | 5.397 | 5.397 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03807 | 5.300 | 5.300 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98261 | 5.203 | 5.203 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92715 | 5.106 | 5.106 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87169 | 5.010 | 5.010 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81624 | 4.913 | 4.913 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76078 | 4.816 | 4.816 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70532 | 4.719 | 4.719 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64986 | 4.623 | 4.623 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59441 | 4.526 | 4.526 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53895 | 4.429 | 4.429 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48349 | 4.332 | 4.332 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42803 | 4.236 | 4.236 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37258 | 4.139 | 4.139 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31712 | 4.042 | 4.042 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26166 | 3.945 | 3.945 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20620 | 3.849 | 3.849 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15075 | 3.752 | 3.752 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09529 | 3.655 | 3.655 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03983 | 3.558 | 3.558 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98437 | 3.462 | 3.462 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92891 | 3.365 | 3.365 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87346 | 3.268 | 3.268 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81800 | 3.172 | 3.172 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76254 | 3.075 | 3.075 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70708 | 2.978 | 2.978 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65163 | 2.881 | 2.881 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59617 | 2.785 | 2.785 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54071 | 2.688 | 2.688 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48525 | 2.591 | 2.591 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42980 | 2.494 | 2.494 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37434 | 2.398 | 2.398 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31888 | 2.301 | 2.301 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26342 | 2.204 | 2.204 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20797 | 2.107 | 2.107 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15251 | 2.011 | 2.011 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09705 | 1.914 | 1.914 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.817 | 1.817 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.744 | 1.744 | |
| 計 | 平均 | | | 73.12723 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 3.489 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.20444 | 5.311 | 5.311 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14898 | 5.218 | 5.218 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09352 | 5.127 | 5.127 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03807 | 5.035 | 5.035 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98261 | 4.943 | 4.943 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92715 | 4.851 | 4.851 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87169 | 4.760 | 4.760 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81624 | 4.667 | 4.667 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76078 | 4.575 | 4.575 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70532 | 4.483 | 4.483 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64986 | 4.392 | 4.392 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59441 | 4.300 | 4.300 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53895 | 4.208 | 4.208 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48349 | 4.115 | 4.115 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42803 | 4.024 | 4.024 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37258 | 3.932 | 3.932 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31712 | 3.840 | 3.840 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26166 | 3.748 | 3.748 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20620 | 3.657 | 3.657 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15075 | 3.564 | 3.564 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09529 | 3.472 | 3.472 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03983 | 3.380 | 3.380 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98437 | 3.289 | 3.289 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92891 | 3.197 | 3.197 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87346 | 3.105 | 3.105 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81800 | 3.013 | 3.013 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76254 | 2.921 | 2.921 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70708 | 2.829 | 2.829 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65163 | 2.737 | 2.737 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59617 | 2.646 | 2.646 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54071 | 2.554 | 2.554 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48525 | 2.461 | 2.461 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42980 | 2.369 | 2.369 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37434 | 2.278 | 2.278 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31888 | 2.186 | 2.186 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26342 | 2.094 | 2.094 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20797 | 2.002 | 2.002 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15251 | 1.910 | 1.910 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09705 | 1.818 | 1.818 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.726 | 1.726 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.657 | 1.657 | |
| 計 | 平均 | | | 73.12723 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 3.470 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.20444 | 5.560 | 5.560 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14898 | 5.463 | 5.463 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09352 | 5.367 | 5.367 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03807 | 5.271 | 5.271 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98261 | 5.175 | 5.175 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92715 | 5.079 | 5.079 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87169 | 4.982 | 4.982 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81624 | 4.886 | 4.886 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76078 | 4.790 | 4.790 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70532 | 4.694 | 4.694 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64986 | 4.598 | 4.598 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59441 | 4.501 | 4.501 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53895 | 4.405 | 4.405 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48349 | 4.309 | 4.309 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42803 | 4.213 | 4.213 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37258 | 4.116 | 4.116 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31712 | 4.020 | 4.020 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26166 | 3.924 | 3.924 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20620 | 3.828 | 3.828 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15075 | 3.732 | 3.732 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09529 | 3.635 | 3.635 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03983 | 3.539 | 3.539 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98437 | 3.443 | 3.443 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92891 | 3.347 | 3.347 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87346 | 3.250 | 3.250 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81800 | 3.154 | 3.154 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76254 | 3.058 | 3.058 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70708 | 2.962 | 2.962 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65163 | 2.866 | 2.866 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59617 | 2.769 | 2.769 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54071 | 2.673 | 2.673 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48525 | 2.577 | 2.577 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42980 | 2.481 | 2.481 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37434 | 2.384 | 2.384 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31888 | 2.288 | 2.288 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26342 | 2.192 | 2.192 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20797 | 2.096 | 2.096 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15251 | 2.000 | 2.000 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09705 | 1.903 | 1.903 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.807 | 1.807 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.735 | 1.735 | |
| 計 | 平均 | | | 73.12723 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 3.470 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.20444 | 5.282 | 5.282 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14898 | 5.190 | 5.190 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09352 | 5.099 | 5.099 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03807 | 5.007 | 5.007 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98261 | 4.916 | 4.916 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92715 | 4.825 | 4.825 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87169 | 4.733 | 4.733 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81624 | 4.642 | 4.642 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76078 | 4.551 | 4.551 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70532 | 4.459 | 4.459 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64986 | 4.368 | 4.368 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59441 | 4.276 | 4.276 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53895 | 4.185 | 4.185 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48349 | 4.094 | 4.094 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42803 | 4.002 | 4.002 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37258 | 3.910 | 3.910 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31712 | 3.819 | 3.819 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26166 | 3.728 | 3.728 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20620 | 3.637 | 3.637 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15075 | 3.545 | 3.545 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09529 | 3.453 | 3.453 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03983 | 3.362 | 3.362 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98437 | 3.271 | 3.271 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92891 | 3.180 | 3.180 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87346 | 3.088 | 3.088 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81800 | 2.996 | 2.996 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76254 | 2.905 | 2.905 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70708 | 2.814 | 2.814 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65163 | 2.723 | 2.723 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59617 | 2.631 | 2.631 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54071 | 2.539 | 2.539 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48525 | 2.448 | 2.448 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42980 | 2.357 | 2.357 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37434 | 2.265 | 2.265 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31888 | 2.174 | 2.174 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26342 | 2.082 | 2.082 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20797 | 1.991 | 1.991 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15251 | 1.900 | 1.900 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09705 | 1.808 | 1.808 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.717 | 1.717 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.648 | 1.648 | |
| 計 | 平均 | | | 73.12723 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 3.425 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.20444 | 5.488 | 5.488 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14898 | 5.393 | 5.393 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09352 | 5.298 | 5.298 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03807 | 5.203 | 5.203 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98261 | 5.108 | 5.108 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92715 | 5.013 | 5.013 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87169 | 4.918 | 4.918 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81624 | 4.823 | 4.823 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76078 | 4.728 | 4.728 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70532 | 4.633 | 4.633 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64986 | 4.538 | 4.538 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59441 | 4.443 | 4.443 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53895 | 4.348 | 4.348 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48349 | 4.253 | 4.253 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42803 | 4.158 | 4.158 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37258 | 4.063 | 4.063 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31712 | 3.968 | 3.968 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26166 | 3.873 | 3.873 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20620 | 3.778 | 3.778 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15075 | 3.683 | 3.683 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09529 | 3.588 | 3.588 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03983 | 3.493 | 3.493 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98437 | 3.398 | 3.398 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92891 | 3.303 | 3.303 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87346 | 3.208 | 3.208 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81800 | 3.113 | 3.113 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76254 | 3.018 | 3.018 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70708 | 2.923 | 2.923 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65163 | 2.828 | 2.828 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59617 | 2.733 | 2.733 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54071 | 2.638 | 2.638 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48525 | 2.543 | 2.543 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42980 | 2.449 | 2.449 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37434 | 2.354 | 2.354 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31888 | 2.259 | 2.259 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26342 | 2.164 | 2.164 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20797 | 2.069 | 2.069 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15251 | 1.974 | 1.974 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09705 | 1.879 | 1.879 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.784 | 1.784 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.712 | 1.712 | |
| 計 | 平均 | | | 73.12723 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 3.425 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.20444 | 5.214 | 5.214 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14898 | 5.123 | 5.123 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09352 | 5.033 | 5.033 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03807 | 4.943 | 4.943 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98261 | 4.853 | 4.853 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92715 | 4.762 | 4.762 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87169 | 4.672 | 4.672 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81624 | 4.582 | 4.582 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76078 | 4.492 | 4.492 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70532 | 4.401 | 4.401 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64986 | 4.311 | 4.311 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59441 | 4.221 | 4.221 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53895 | 4.131 | 4.131 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48349 | 4.040 | 4.040 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42803 | 3.950 | 3.950 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37258 | 3.860 | 3.860 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31712 | 3.770 | 3.770 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26166 | 3.679 | 3.679 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20620 | 3.589 | 3.589 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15075 | 3.499 | 3.499 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09529 | 3.409 | 3.409 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03983 | 3.318 | 3.318 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98437 | 3.228 | 3.228 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92891 | 3.138 | 3.138 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87346 | 3.048 | 3.048 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81800 | 2.957 | 2.957 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76254 | 2.867 | 2.867 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70708 | 2.777 | 2.777 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65163 | 2.687 | 2.687 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59617 | 2.596 | 2.596 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54071 | 2.506 | 2.506 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48525 | 2.416 | 2.416 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42980 | 2.327 | 2.327 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37434 | 2.236 | 2.236 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31888 | 2.146 | 2.146 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26342 | 2.056 | 2.056 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20797 | 1.966 | 1.966 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15251 | 1.875 | 1.875 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09705 | 1.785 | 1.785 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.695 | 1.695 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.626 | 1.626 | |
| 計 | 平均 | | | 73.12723 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 2.824 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.20444 | 4.525 | 4.525 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14898 | 4.446 | 4.446 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09352 | 4.368 | 4.368 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03807 | 4.290 | 4.290 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98261 | 4.211 | 4.211 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92715 | 4.133 | 4.133 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87169 | 4.055 | 4.055 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81624 | 3.977 | 3.977 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76078 | 3.898 | 3.898 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70532 | 3.820 | 3.820 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64986 | 3.742 | 3.742 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59441 | 3.663 | 3.663 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53895 | 3.585 | 3.585 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48349 | 3.507 | 3.507 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42803 | 3.428 | 3.428 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37258 | 3.350 | 3.350 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31712 | 3.272 | 3.272 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26166 | 3.193 | 3.193 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20620 | 3.115 | 3.115 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15075 | 3.037 | 3.037 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09529 | 2.959 | 2.959 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03983 | 2.880 | 2.880 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98437 | 2.802 | 2.802 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92891 | 2.724 | 2.724 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87346 | 2.645 | 2.645 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81800 | 2.567 | 2.567 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76254 | 2.489 | 2.489 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70708 | 2.410 | 2.410 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65163 | 2.332 | 2.332 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59617 | 2.254 | 2.254 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54071 | 2.175 | 2.175 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48525 | 2.097 | 2.097 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42980 | 2.019 | 2.019 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37434 | 1.941 | 1.941 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31888 | 1.862 | 1.862 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26342 | 1.784 | 1.784 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20797 | 1.706 | 1.706 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15251 | 1.627 | 1.627 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09705 | 1.549 | 1.549 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.471 | 1.471 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.412 | 1.412 | |
| 計 | 平均 | | | 73.12723 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 2.824 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.20444 | 4.299 | 4.299 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14898 | 4.224 | 4.224 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09352 | 4.150 | 4.150 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03807 | 4.076 | 4.076 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98261 | 4.000 | 4.000 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92715 | 3.926 | 3.926 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87169 | 3.852 | 3.852 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81624 | 3.778 | 3.778 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76078 | 3.703 | 3.703 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70532 | 3.629 | 3.629 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64986 | 3.555 | 3.555 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59441 | 3.480 | 3.480 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53895 | 3.406 | 3.406 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48349 | 3.332 | 3.332 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42803 | 3.257 | 3.257 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37258 | 3.183 | 3.183 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31712 | 3.108 | 3.108 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26166 | 3.033 | 3.033 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20620 | 2.959 | 2.959 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15075 | 2.885 | 2.885 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09529 | 2.811 | 2.811 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03983 | 2.736 | 2.736 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98437 | 2.662 | 2.662 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92891 | 2.588 | 2.588 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87346 | 2.513 | 2.513 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81800 | 2.439 | 2.439 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76254 | 2.365 | 2.365 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70708 | 2.290 | 2.290 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65163 | 2.215 | 2.215 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59617 | 2.141 | 2.141 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54071 | 2.066 | 2.066 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48525 | 1.992 | 1.992 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42980 | 1.918 | 1.918 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37434 | 1.844 | 1.844 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31888 | 1.769 | 1.769 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26342 | 1.695 | 1.695 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20797 | 1.621 | 1.621 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15251 | 1.546 | 1.546 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09705 | 1.472 | 1.472 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.397 | 1.397 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.341 | 1.341 | |
| 計 | 平均 | | | 73.12723 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 2.562 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.20444 | 4.105 | 4.105 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.14898 | 4.034 | 4.034 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.09352 | 3.963 | 3.963 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.03807 | 3.892 | 3.892 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.98261 | 3.821 | 3.821 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.92715 | 3.750 | 3.750 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.87169 | 3.679 | 3.679 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.81624 | 3.608 | 3.608 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.76078 | 3.537 | 3.537 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.70532 | 3.466 | 3.466 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 2.64986 | 3.394 | 3.394 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.59441 | 3.323 | 3.323 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.53895 | 3.252 | 3.252 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.48349 | 3.181 | 3.181 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.42803 | 3.110 | 3.110 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.37258 | 3.039 | 3.039 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.31712 | 2.968 | 2.968 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.26166 | 2.897 | 2.897 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.20620 | 2.826 | 2.826 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.15075 | 2.755 | 2.755 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.09529 | 2.684 | 2.684 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.03983 | 2.613 | 2.613 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.98437 | 2.542 | 2.542 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.92891 | 2.471 | 2.471 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.87346 | 2.400 | 2.400 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.81800 | 2.329 | 2.329 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.76254 | 2.258 | 2.258 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.70708 | 2.187 | 2.187 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.65163 | 2.116 | 2.116 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.59617 | 2.045 | 2.045 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.54071 | 1.974 | 1.974 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.48525 | 1.903 | 1.903 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.42980 | 1.832 | 1.832 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.37434 | 1.761 | 1.761 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.31888 | 1.689 | 1.689 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.26342 | 1.618 | 1.618 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.20797 | 1.547 | 1.547 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.15251 | 1.476 | 1.476 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.09705 | 1.405 | 1.405 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.04159 | 1.334 | 1.334 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.281 | 1.281 | |
| 計 | 平均 | | | 73.12723 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 2.562 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.20444 | 3.900 | 3.900 | |
| 19 | 192.5 | ≧* < | 197.5 | 156 | 3.14898 | 3.832 | 3.832 | |
| 18 | 187.5 | ≧* < | 192.5 | 152 | 3.09352 | 3.765 | 3.765 | |
| 17 | 182.5 | ≧* < | 187.5 | 148 | 3.03807 | 3.697 | 3.697 | |
| 16 | 177.5 | ≧* < | 182.5 | 144 | 2.98261 | 3.630 | 3.630 | |
| 15 | 172.5 | ≧* < | 177.5 | 140 | 2.92715 | 3.563 | 3.563 | |
| 14 | 167.5 | ≧* < | 172.5 | 136 | 2.87169 | 3.495 | 3.495 | |
| 13 | 162.5 | ≧* < | 167.5 | 132 | 2.81624 | 3.428 | 3.428 | |
| 12 | 157.5 | ≧* < | 162.5 | 128 | 2.76078 | 3.360 | 3.360 | |
| 11 | 152.5 | ≧* < | 157.5 | 124 | 2.70532 | 3.293 | 3.293 | |
| 10 | 147.5 | ≧* < | 152.5 | 120 | 2.64986 | 3.224 | 3.224 | |
| 9 | 142.5 | ≧* < | 147.5 | 116 | 2.59441 | 3.157 | 3.157 | |
| 8 | 137.5 | ≧* < | 142.5 | 112 | 2.53895 | 3.089 | 3.089 | |
| 7 | 132.5 | ≧* < | 137.5 | 108 | 2.48349 | 3.022 | 3.022 | |
| 6 | 127.5 | ≧* < | 132.5 | 104 | 2.42803 | 2.955 | 2.955 | |
| 5 | 122.5 | ≧* < | 127.5 | 100 | 2.37258 | 2.887 | 2.887 | |
| 4 | 117.5 | ≧* < | 122.5 | 96 | 2.31712 | 2.820 | 2.820 | |
| 3 | 112.5 | ≧* < | 117.5 | 92 | 2.26166 | 2.752 | 2.752 | |
| 2 | 107.5 | ≧* < | 112.5 | 88 | 2.20620 | 2.685 | 2.685 | |
| 1 | 102.5 | ≧* < | 107.5 | 84 | 2.15075 | 2.617 | 2.617 | |
| 0 | 97.5 | ≧* < | 102.5 | 80 | 2.09529 | 2.550 | 2.550 | |
| -1 | 92.5 | ≧* < | 97.5 | 76 | 2.03983 | 2.482 | 2.482 | |
| -2 | 87.5 | ≧* < | 92.5 | 72 | 1.98437 | 2.415 | 2.415 | |
| -3 | 82.5 | ≧* < | 87.5 | 68 | 1.92891 | 2.347 | 2.347 | |
| -4 | 77.5 | ≧* < | 82.5 | 64 | 1.87346 | 2.280 | 2.280 | |
| -5 | 72.5 | ≧* < | 77.5 | 60 | 1.81800 | 2.213 | 2.213 | |
| -6 | 67.5 | ≧* < | 72.5 | 56 | 1.76254 | 2.145 | 2.145 | |
| -7 | 62.5 | ≧* < | 67.5 | 52 | 1.70708 | 2.078 | 2.078 | |
| -8 | 57.5 | ≧* < | 62.5 | 48 | 1.65163 | 2.010 | 2.010 | |
| -9 | 52.5 | ≧* < | 57.5 | 44 | 1.59617 | 1.943 | 1.943 | |
| -10 | 47.5 | ≧* < | 52.5 | 40 | 1.54071 | 1.875 | 1.875 | |
| -11 | 42.5 | ≧* < | 47.5 | 36 | 1.48525 | 1.808 | 1.808 | |
| -12 | 37.5 | ≧* < | 42.5 | 32 | 1.42980 | 1.740 | 1.740 | |
| -13 | 32.5 | ≧* < | 37.5 | 28 | 1.37434 | 1.673 | 1.673 | |
| -14 | 27.5 | ≧* < | 32.5 | 24 | 1.31888 | 1.605 | 1.605 | |
| -15 | 22.5 | ≧* < | 27.5 | 20 | 1.26342 | 1.537 | 1.537 | |
| -16 | 17.5 | ≧* < | 22.5 | 16 | 1.20797 | 1.470 | 1.470 | |
| -17 | 12.5 | ≧* < | 17.5 | 12 | 1.15251 | 1.402 | 1.402 | |
| -18 | 7.5 | ≧* < | 12.5 | 8 | 1.09705 | 1.335 | 1.335 | |
| -19 | 2.5 | ≧* < | 7.5 | 4 | 1.04159 | 1.267 | 1.267 | |
| -20 | 0.0 | ≧* < | 2.5 | 1.00 | 1.00000 | 1.217 | 1.217 | |
| 計 | 平均 | | | 73.12723 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 80 プラスチックハウスVI類

共済掛金標準率: 6.218 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.30162 | 7.156 | 7.156 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.26887 | 7.054 | 7.054 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.23613 | 6.952 | 6.952 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.20338 | 6.850 | 6.850 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.17064 | 6.749 | 6.749 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.13789 | 6.647 | 6.647 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.10515 | 6.545 | 6.545 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.07240 | 6.443 | 6.443 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.03966 | 6.341 | 6.341 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.00691 | 6.239 | 6.239 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 1.97417 | 6.138 | 6.138 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 1.94142 | 6.036 | 6.036 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 1.90868 | 5.934 | 5.934 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.87593 | 5.832 | 5.832 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.84319 | 5.730 | 5.730 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.81044 | 5.629 | 5.629 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.77770 | 5.527 | 5.527 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.74495 | 5.425 | 5.425 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.71221 | 5.323 | 5.323 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.67946 | 5.221 | 5.221 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.64672 | 5.120 | 5.120 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.61397 | 5.018 | 5.018 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.58123 | 4.916 | 4.916 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.54848 | 4.814 | 4.814 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.51574 | 4.712 | 4.712 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.48299 | 4.611 | 4.611 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.45025 | 4.509 | 4.509 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.41750 | 4.407 | 4.407 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.38476 | 4.305 | 4.305 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.35201 | 4.203 | 4.203 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.31927 | 4.102 | 4.102 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.28652 | 4.000 | 4.000 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.25377 | 3.898 | 3.898 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.22103 | 3.796 | 3.796 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.18828 | 3.694 | 3.694 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.15554 | 3.593 | 3.593 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.12279 | 3.491 | 3.491 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09005 | 3.389 | 3.389 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.05730 | 3.287 | 3.287 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02456 | 3.185 | 3.185 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 3.109 | 3.109 | |
| 計 | 平均 | | | 123.15556 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 80 プラスチックハウスVI類

共済掛金標準率: 6.218 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.30162 | 6.798 | 6.798 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.26887 | 6.701 | 6.701 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.23613 | 6.604 | 6.604 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.20338 | 6.508 | 6.508 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.17064 | 6.412 | 6.412 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.13789 | 6.315 | 6.315 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.10515 | 6.218 | 6.218 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.07240 | 6.121 | 6.121 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.03966 | 6.024 | 6.024 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.00691 | 5.927 | 5.927 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 1.97417 | 5.831 | 5.831 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 1.94142 | 5.734 | 5.734 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 1.90868 | 5.637 | 5.637 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.87593 | 5.540 | 5.540 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.84319 | 5.444 | 5.444 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.81044 | 5.348 | 5.348 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.77770 | 5.251 | 5.251 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.74495 | 5.154 | 5.154 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.71221 | 5.057 | 5.057 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.67946 | 4.960 | 4.960 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.64672 | 4.864 | 4.864 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.61397 | 4.767 | 4.767 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.58123 | 4.670 | 4.670 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.54848 | 4.573 | 4.573 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.51574 | 4.476 | 4.476 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.48299 | 4.380 | 4.380 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.45025 | 4.284 | 4.284 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.41750 | 4.187 | 4.187 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.38476 | 4.090 | 4.090 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.35201 | 3.993 | 3.993 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.31927 | 3.897 | 3.897 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.28652 | 3.800 | 3.800 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.25377 | 3.703 | 3.703 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.22103 | 3.606 | 3.606 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.18828 | 3.509 | 3.509 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.15554 | 3.413 | 3.413 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.12279 | 3.316 | 3.316 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09005 | 3.220 | 3.220 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.05730 | 3.123 | 3.123 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02456 | 3.026 | 3.026 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 2.954 | 2.954 | |
| 計 | 平均 | | | 123.15556 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 80 プラスチックハウスVI類

共済掛金標準率: 2.416 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.30162 | 2.780 | 2.780 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.26887 | 2.741 | 2.741 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.23613 | 2.701 | 2.701 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.20338 | 2.662 | 2.662 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.17064 | 2.622 | 2.622 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.13789 | 2.583 | 2.583 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.10515 | 2.543 | 2.543 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.07240 | 2.503 | 2.503 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.03966 | 2.464 | 2.464 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.00691 | 2.424 | 2.424 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 1.97417 | 2.385 | 2.385 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 1.94142 | 2.345 | 2.345 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 1.90868 | 2.306 | 2.306 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.87593 | 2.266 | 2.266 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.84319 | 2.227 | 2.227 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.81044 | 2.187 | 2.187 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.77770 | 2.147 | 2.147 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.74495 | 2.108 | 2.108 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.71221 | 2.068 | 2.068 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.67946 | 2.029 | 2.029 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.64672 | 1.989 | 1.989 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.61397 | 1.950 | 1.950 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.58123 | 1.910 | 1.910 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.54848 | 1.871 | 1.871 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.51574 | 1.831 | 1.831 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.48299 | 1.791 | 1.791 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.45025 | 1.752 | 1.752 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.41750 | 1.712 | 1.712 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.38476 | 1.673 | 1.673 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.35201 | 1.633 | 1.633 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.31927 | 1.594 | 1.594 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.28652 | 1.554 | 1.554 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.25377 | 1.515 | 1.515 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.22103 | 1.475 | 1.475 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.18828 | 1.435 | 1.435 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.15554 | 1.396 | 1.396 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.12279 | 1.356 | 1.356 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09005 | 1.317 | 1.317 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.05730 | 1.277 | 1.277 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02456 | 1.238 | 1.238 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.208 | 1.208 | |
| 計 | 平均 | | | 123.15556 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 80 プラスチックハウスVI類

共済掛金標準率: 2.416 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.30162 | 2.641 | 2.641 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.26887 | 2.604 | 2.604 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.23613 | 2.566 | 2.566 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.20338 | 2.529 | 2.529 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.17064 | 2.491 | 2.491 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.13789 | 2.454 | 2.454 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.10515 | 2.416 | 2.416 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.07240 | 2.378 | 2.378 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.03966 | 2.341 | 2.341 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.00691 | 2.303 | 2.303 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 1.97417 | 2.266 | 2.266 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 1.94142 | 2.228 | 2.228 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 1.90868 | 2.191 | 2.191 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.87593 | 2.153 | 2.153 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.84319 | 2.116 | 2.116 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.81044 | 2.078 | 2.078 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.77770 | 2.040 | 2.040 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.74495 | 2.003 | 2.003 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.71221 | 1.965 | 1.965 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.67946 | 1.928 | 1.928 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.64672 | 1.890 | 1.890 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.61397 | 1.853 | 1.853 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.58123 | 1.815 | 1.815 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.54848 | 1.777 | 1.777 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.51574 | 1.739 | 1.739 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.48299 | 1.701 | 1.701 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.45025 | 1.664 | 1.664 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.41750 | 1.626 | 1.626 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.38476 | 1.589 | 1.589 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.35201 | 1.551 | 1.551 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.31927 | 1.514 | 1.514 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.28652 | 1.476 | 1.476 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.25377 | 1.439 | 1.439 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.22103 | 1.401 | 1.401 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.18828 | 1.363 | 1.363 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.15554 | 1.326 | 1.326 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.12279 | 1.288 | 1.288 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09005 | 1.251 | 1.251 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.05730 | 1.213 | 1.213 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02456 | 1.176 | 1.176 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.148 | 1.148 | |
| 計 | 平均 | | | 123.15556 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 80 プラスチックハウスVI類

共済掛金標準率: 1.236 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.30162 | 1.422 | 1.422 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.26887 | 1.402 | 1.402 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.23613 | 1.382 | 1.382 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.20338 | 1.362 | 1.362 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.17064 | 1.341 | 1.341 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.13789 | 1.321 | 1.321 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.10515 | 1.301 | 1.301 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.07240 | 1.281 | 1.281 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.03966 | 1.261 | 1.261 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.00691 | 1.240 | 1.240 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 1.97417 | 1.220 | 1.220 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 1.94142 | 1.200 | 1.200 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 1.90868 | 1.180 | 1.180 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.87593 | 1.159 | 1.159 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.84319 | 1.139 | 1.139 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.81044 | 1.119 | 1.119 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.77770 | 1.099 | 1.099 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.74495 | 1.078 | 1.078 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.71221 | 1.058 | 1.058 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.67946 | 1.038 | 1.038 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.64672 | 1.018 | 1.018 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.61397 | 0.997 | 0.997 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.58123 | 0.977 | 0.977 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.54848 | 0.957 | 0.957 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.51574 | 0.937 | 0.937 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.48299 | 0.916 | 0.916 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.45025 | 0.896 | 0.896 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.41750 | 0.876 | 0.876 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.38476 | 0.856 | 0.856 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.35201 | 0.836 | 0.836 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.31927 | 0.815 | 0.815 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.28652 | 0.795 | 0.795 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.25377 | 0.775 | 0.775 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.22103 | 0.755 | 0.755 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.18828 | 0.734 | 0.734 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.15554 | 0.714 | 0.714 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.12279 | 0.694 | 0.694 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09005 | 0.674 | 0.674 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.05730 | 0.653 | 0.653 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02456 | 0.633 | 0.633 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.618 | 0.618 | |
| 計 | 平均 | | | 123.15556 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 80 プラスチックハウスVI類

共済掛金標準率: 1.236 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.30162 | 1.351 | 1.351 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.26887 | 1.332 | 1.332 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.23613 | 1.313 | 1.313 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.20338 | 1.294 | 1.294 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.17064 | 1.274 | 1.274 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.13789 | 1.255 | 1.255 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.10515 | 1.236 | 1.236 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.07240 | 1.217 | 1.217 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.03966 | 1.198 | 1.198 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.00691 | 1.178 | 1.178 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 1.97417 | 1.159 | 1.159 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 1.94142 | 1.140 | 1.140 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 1.90868 | 1.121 | 1.121 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.87593 | 1.101 | 1.101 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.84319 | 1.082 | 1.082 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.81044 | 1.063 | 1.063 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.77770 | 1.044 | 1.044 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.74495 | 1.024 | 1.024 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.71221 | 1.005 | 1.005 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.67946 | 0.986 | 0.986 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.64672 | 0.967 | 0.967 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.61397 | 0.947 | 0.947 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.58123 | 0.928 | 0.928 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.54848 | 0.909 | 0.909 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.51574 | 0.890 | 0.890 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.48299 | 0.870 | 0.870 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.45025 | 0.851 | 0.851 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.41750 | 0.832 | 0.832 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.38476 | 0.813 | 0.813 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.35201 | 0.794 | 0.794 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.31927 | 0.774 | 0.774 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.28652 | 0.755 | 0.755 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.25377 | 0.736 | 0.736 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.22103 | 0.717 | 0.717 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.18828 | 0.697 | 0.697 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.15554 | 0.678 | 0.678 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.12279 | 0.659 | 0.659 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09005 | 0.640 | 0.640 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.05730 | 0.620 | 0.620 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02456 | 0.601 | 0.601 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.587 | 0.587 | |
| 計 | 平均 | | | 123.15556 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.235 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.30162 | 1.421 | 1.421 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.26887 | 1.401 | 1.401 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.23613 | 1.381 | 1.381 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.20338 | 1.361 | 1.361 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.17064 | 1.340 | 1.340 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.13789 | 1.320 | 1.320 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.10515 | 1.300 | 1.300 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.07240 | 1.280 | 1.280 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.03966 | 1.259 | 1.259 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.00691 | 1.239 | 1.239 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 1.97417 | 1.219 | 1.219 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 1.94142 | 1.199 | 1.199 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 1.90868 | 1.179 | 1.179 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.87593 | 1.158 | 1.158 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.84319 | 1.138 | 1.138 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.81044 | 1.118 | 1.118 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.77770 | 1.098 | 1.098 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.74495 | 1.078 | 1.078 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.71221 | 1.057 | 1.057 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.67946 | 1.037 | 1.037 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.64672 | 1.017 | 1.017 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.61397 | 0.997 | 0.997 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.58123 | 0.976 | 0.976 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.54848 | 0.956 | 0.956 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.51574 | 0.936 | 0.936 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.48299 | 0.916 | 0.916 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.45025 | 0.896 | 0.896 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.41750 | 0.875 | 0.875 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.38476 | 0.855 | 0.855 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.35201 | 0.835 | 0.835 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.31927 | 0.815 | 0.815 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.28652 | 0.794 | 0.794 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.25377 | 0.774 | 0.774 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.22103 | 0.754 | 0.754 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.18828 | 0.734 | 0.734 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.15554 | 0.714 | 0.714 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.12279 | 0.693 | 0.693 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09005 | 0.673 | 0.673 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.05730 | 0.653 | 0.653 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02456 | 0.633 | 0.633 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.617 | 0.617 | |
| 計 | 平均 | | | 123.15556 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 80 プラスチックハウスVI類

共済掛金標準率: 1.235 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.30162 | 1.350 | 1.350 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.26887 | 1.331 | 1.331 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.23613 | 1.312 | 1.312 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.20338 | 1.293 | 1.293 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.17064 | 1.273 | 1.273 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.13789 | 1.254 | 1.254 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.10515 | 1.235 | 1.235 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.07240 | 1.216 | 1.216 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.03966 | 1.196 | 1.196 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.00691 | 1.177 | 1.177 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 1.97417 | 1.158 | 1.158 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 1.94142 | 1.139 | 1.139 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 1.90868 | 1.120 | 1.120 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.87593 | 1.100 | 1.100 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.84319 | 1.081 | 1.081 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.81044 | 1.062 | 1.062 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.77770 | 1.043 | 1.043 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.74495 | 1.024 | 1.024 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.71221 | 1.004 | 1.004 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.67946 | 0.985 | 0.985 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.64672 | 0.966 | 0.966 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.61397 | 0.947 | 0.947 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.58123 | 0.927 | 0.927 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.54848 | 0.908 | 0.908 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.51574 | 0.889 | 0.889 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.48299 | 0.870 | 0.870 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.45025 | 0.851 | 0.851 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.41750 | 0.831 | 0.831 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.38476 | 0.812 | 0.812 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.35201 | 0.793 | 0.793 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.31927 | 0.774 | 0.774 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.28652 | 0.754 | 0.754 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.25377 | 0.735 | 0.735 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.22103 | 0.716 | 0.716 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.18828 | 0.697 | 0.697 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.15554 | 0.678 | 0.678 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.12279 | 0.658 | 0.658 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09005 | 0.639 | 0.639 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.05730 | 0.620 | 0.620 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02456 | 0.601 | 0.601 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.586 | 0.586 | |
| 計 | 平均 | | | 123.15556 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 80 プラスチックハウスVI類

共済掛金標準率: 1.151 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.30162 | 1.325 | 1.325 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.26887 | 1.306 | 1.306 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.23613 | 1.287 | 1.287 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.20338 | 1.268 | 1.268 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.17064 | 1.249 | 1.249 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.13789 | 1.230 | 1.230 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.10515 | 1.212 | 1.212 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.07240 | 1.193 | 1.193 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.03966 | 1.174 | 1.174 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.00691 | 1.155 | 1.155 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 1.97417 | 1.136 | 1.136 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 1.94142 | 1.117 | 1.117 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 1.90868 | 1.098 | 1.098 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.87593 | 1.080 | 1.080 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.84319 | 1.061 | 1.061 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.81044 | 1.042 | 1.042 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.77770 | 1.023 | 1.023 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.74495 | 1.004 | 1.004 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.71221 | 0.985 | 0.985 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.67946 | 0.967 | 0.967 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.64672 | 0.948 | 0.948 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.61397 | 0.929 | 0.929 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.58123 | 0.910 | 0.910 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.54848 | 0.891 | 0.891 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.51574 | 0.872 | 0.872 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.48299 | 0.853 | 0.853 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.45025 | 0.835 | 0.835 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.41750 | 0.816 | 0.816 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.38476 | 0.797 | 0.797 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.35201 | 0.778 | 0.778 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.31927 | 0.759 | 0.759 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.28652 | 0.740 | 0.740 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.25377 | 0.722 | 0.722 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.22103 | 0.703 | 0.703 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.18828 | 0.684 | 0.684 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.15554 | 0.665 | 0.665 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.12279 | 0.646 | 0.646 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09005 | 0.627 | 0.627 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.05730 | 0.608 | 0.608 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02456 | 0.590 | 0.590 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.575 | 0.575 | |
| 計 | 平均 | | | 123.15556 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 80 プラスチックハウスVI類

共済掛金標準率: 1.151 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|-----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 2.30162 | 1.259 | 1.259 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 2.26887 | 1.241 | 1.241 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 2.23613 | 1.223 | 1.223 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 2.20338 | 1.205 | 1.205 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 2.17064 | 1.187 | 1.187 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 2.13789 | 1.169 | 1.169 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 2.10515 | 1.151 | 1.151 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 2.07240 | 1.133 | 1.133 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 2.03966 | 1.115 | 1.115 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 2.00691 | 1.097 | 1.097 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 1.97417 | 1.079 | 1.079 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 1.94142 | 1.061 | 1.061 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 1.90868 | 1.043 | 1.043 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 1.87593 | 1.026 | 1.026 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 1.84319 | 1.008 | 1.008 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 1.81044 | 0.990 | 0.990 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 1.77770 | 0.972 | 0.972 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 1.74495 | 0.954 | 0.954 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 1.71221 | 0.936 | 0.936 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 1.67946 | 0.919 | 0.919 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 1.64672 | 0.901 | 0.901 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 1.61397 | 0.883 | 0.883 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 1.58123 | 0.865 | 0.865 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 1.54848 | 0.846 | 0.846 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 1.51574 | 0.828 | 0.828 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 1.48299 | 0.810 | 0.810 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.45025 | 0.793 | 0.793 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.41750 | 0.775 | 0.775 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.38476 | 0.757 | 0.757 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.35201 | 0.739 | 0.739 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.31927 | 0.721 | 0.721 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.28652 | 0.703 | 0.703 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.25377 | 0.686 | 0.686 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.22103 | 0.668 | 0.668 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.18828 | 0.650 | 0.650 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.15554 | 0.632 | 0.632 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.12279 | 0.614 | 0.614 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.09005 | 0.596 | 0.596 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.05730 | 0.578 | 0.578 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.02456 | 0.561 | 0.561 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.546 | 0.546 | |
| 計 | 平均 | | | 123.15556 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 3.308 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.69492 | 6.111 | 6.111 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.62712 | 5.999 | 5.999 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.55933 | 5.887 | 5.887 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.49153 | 5.775 | 5.775 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.42373 | 5.663 | 5.663 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.35594 | 5.551 | 5.551 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.28814 | 5.439 | 5.439 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.22034 | 5.326 | 5.326 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.15255 | 5.214 | 5.214 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.08475 | 5.102 | 5.102 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.01695 | 4.990 | 4.990 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.94916 | 4.878 | 4.878 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.88136 | 4.766 | 4.766 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.81356 | 4.654 | 4.654 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.74577 | 4.542 | 4.542 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.67797 | 4.429 | 4.429 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.61017 | 4.317 | 4.317 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.54238 | 4.205 | 4.205 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.47458 | 4.093 | 4.093 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.40678 | 3.981 | 3.981 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.33899 | 3.869 | 3.869 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.27119 | 3.757 | 3.757 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.20339 | 3.644 | 3.644 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.13560 | 3.532 | 3.532 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.06780 | 3.420 | 3.420 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.00000 | 3.308 | 3.308 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.93221 | 3.196 | 3.196 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.86441 | 3.084 | 3.084 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.79661 | 2.972 | 2.972 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.72881 | 2.859 | 2.859 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66102 | 2.747 | 2.747 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.59322 | 2.635 | 2.635 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.52542 | 2.523 | 2.523 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.45763 | 2.411 | 2.411 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.38983 | 2.299 | 2.299 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32203 | 2.187 | 2.187 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25424 | 2.075 | 2.075 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18644 | 1.962 | 1.962 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.11864 | 1.850 | 1.850 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05085 | 1.738 | 1.738 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.654 | 1.654 | |
| 計 | 平均 | | | 60.00000 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 3.308 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.69492 | 5.805 | 5.805 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.62712 | 5.699 | 5.699 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.55933 | 5.593 | 5.593 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.49153 | 5.486 | 5.486 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.42373 | 5.380 | 5.380 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.35594 | 5.273 | 5.273 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.28814 | 5.167 | 5.167 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.22034 | 5.060 | 5.060 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.15255 | 4.953 | 4.953 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.08475 | 4.847 | 4.847 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.01695 | 4.741 | 4.741 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.94916 | 4.634 | 4.634 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.88136 | 4.528 | 4.528 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.81356 | 4.421 | 4.421 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.74577 | 4.315 | 4.315 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.67797 | 4.208 | 4.208 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.61017 | 4.101 | 4.101 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.54238 | 3.995 | 3.995 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.47458 | 3.888 | 3.888 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.40678 | 3.782 | 3.782 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.33899 | 3.676 | 3.676 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.27119 | 3.569 | 3.569 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.20339 | 3.462 | 3.462 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.13560 | 3.355 | 3.355 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.06780 | 3.249 | 3.249 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.00000 | 3.143 | 3.143 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.93221 | 3.036 | 3.036 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.86441 | 2.930 | 2.930 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.79661 | 2.823 | 2.823 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.72881 | 2.716 | 2.716 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66102 | 2.610 | 2.610 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.59322 | 2.503 | 2.503 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.52542 | 2.397 | 2.397 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.45763 | 2.290 | 2.290 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.38983 | 2.184 | 2.184 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32203 | 2.078 | 2.078 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25424 | 1.971 | 1.971 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18644 | 1.864 | 1.864 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.11864 | 1.758 | 1.758 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05085 | 1.651 | 1.651 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.571 | 1.571 | |
| 計 | 平均 | | | 60.00000 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 2.501 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.69492 | 4.620 | 4.620 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.62712 | 4.536 | 4.536 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.55933 | 4.451 | 4.451 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.49153 | 4.366 | 4.366 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.42373 | 4.281 | 4.281 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.35594 | 4.197 | 4.197 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.28814 | 4.112 | 4.112 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.22034 | 4.027 | 4.027 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.15255 | 3.942 | 3.942 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.08475 | 3.857 | 3.857 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.01695 | 3.773 | 3.773 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.94916 | 3.688 | 3.688 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.88136 | 3.603 | 3.603 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.81356 | 3.518 | 3.518 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.74577 | 3.434 | 3.434 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.67797 | 3.349 | 3.349 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.61017 | 3.264 | 3.264 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.54238 | 3.179 | 3.179 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.47458 | 3.094 | 3.094 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.40678 | 3.010 | 3.010 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.33899 | 2.925 | 2.925 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.27119 | 2.840 | 2.840 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.20339 | 2.755 | 2.755 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.13560 | 2.671 | 2.671 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.06780 | 2.586 | 2.586 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.00000 | 2.501 | 2.501 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.93221 | 2.416 | 2.416 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.86441 | 2.331 | 2.331 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.79661 | 2.247 | 2.247 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.72881 | 2.162 | 2.162 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66102 | 2.077 | 2.077 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.59322 | 1.992 | 1.992 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.52542 | 1.908 | 1.908 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.45763 | 1.823 | 1.823 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.38983 | 1.738 | 1.738 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32203 | 1.653 | 1.653 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25424 | 1.568 | 1.568 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18644 | 1.484 | 1.484 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.11864 | 1.399 | 1.399 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05085 | 1.314 | 1.314 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.250 | 1.250 | |
| 計 | 平均 | | | 60.00000 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 2.501 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.69492 | 4.389 | 4.389 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.62712 | 4.309 | 4.309 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.55933 | 4.228 | 4.228 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.49153 | 4.148 | 4.148 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.42373 | 4.067 | 4.067 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.35594 | 3.987 | 3.987 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.28814 | 3.906 | 3.906 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.22034 | 3.826 | 3.826 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.15255 | 3.745 | 3.745 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.08475 | 3.664 | 3.664 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.01695 | 3.584 | 3.584 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.94916 | 3.504 | 3.504 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.88136 | 3.423 | 3.423 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.81356 | 3.342 | 3.342 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.74577 | 3.262 | 3.262 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.67797 | 3.182 | 3.182 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.61017 | 3.101 | 3.101 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.54238 | 3.020 | 3.020 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.47458 | 2.939 | 2.939 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.40678 | 2.860 | 2.860 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.33899 | 2.779 | 2.779 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.27119 | 2.698 | 2.698 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.20339 | 2.617 | 2.617 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.13560 | 2.537 | 2.537 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.06780 | 2.457 | 2.457 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.00000 | 2.376 | 2.376 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.93221 | 2.295 | 2.295 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.86441 | 2.214 | 2.214 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.79661 | 2.135 | 2.135 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.72881 | 2.054 | 2.054 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66102 | 1.973 | 1.973 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.59322 | 1.892 | 1.892 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.52542 | 1.813 | 1.813 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.45763 | 1.732 | 1.732 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.38983 | 1.651 | 1.651 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32203 | 1.570 | 1.570 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25424 | 1.490 | 1.490 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18644 | 1.410 | 1.410 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.11864 | 1.329 | 1.329 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05085 | 1.248 | 1.248 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 1.188 | 1.188 | |
| 計 | 平均 | | | 60.00000 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.698 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.69492 | 1.290 | 1.290 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.62712 | 1.266 | 1.266 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.55933 | 1.242 | 1.242 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.49153 | 1.219 | 1.219 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.42373 | 1.195 | 1.195 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.35594 | 1.171 | 1.171 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.28814 | 1.148 | 1.148 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.22034 | 1.124 | 1.124 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.15255 | 1.100 | 1.100 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.08475 | 1.077 | 1.077 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.01695 | 1.053 | 1.053 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.94916 | 1.029 | 1.029 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.88136 | 1.006 | 1.006 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.81356 | 0.982 | 0.982 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.74577 | 0.958 | 0.958 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.67797 | 0.935 | 0.935 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.61017 | 0.911 | 0.911 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.54238 | 0.887 | 0.887 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.47458 | 0.864 | 0.864 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.40678 | 0.840 | 0.840 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.33899 | 0.816 | 0.816 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.27119 | 0.793 | 0.793 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.20339 | 0.769 | 0.769 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.13560 | 0.745 | 0.745 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.06780 | 0.722 | 0.722 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.00000 | 0.698 | 0.698 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.93221 | 0.674 | 0.674 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.86441 | 0.651 | 0.651 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.79661 | 0.627 | 0.627 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.72881 | 0.603 | 0.603 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66102 | 0.580 | 0.580 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.59322 | 0.556 | 0.556 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.52542 | 0.532 | 0.532 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.45763 | 0.509 | 0.509 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.38983 | 0.485 | 0.485 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32203 | 0.461 | 0.461 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25424 | 0.438 | 0.438 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18644 | 0.414 | 0.414 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.11864 | 0.390 | 0.390 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05085 | 0.367 | 0.367 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.349 | 0.349 | |
| 計 | 平均 | | | 60.00000 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.698 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.69492 | 1.226 | 1.226 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.62712 | 1.203 | 1.203 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.55933 | 1.180 | 1.180 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.49153 | 1.158 | 1.158 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.42373 | 1.135 | 1.135 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.35594 | 1.112 | 1.112 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.28814 | 1.091 | 1.091 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.22034 | 1.068 | 1.068 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.15255 | 1.045 | 1.045 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.08475 | 1.023 | 1.023 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.01695 | 1.000 | 1.000 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.94916 | 0.978 | 0.978 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.88136 | 0.956 | 0.956 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.81356 | 0.933 | 0.933 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.74577 | 0.910 | 0.910 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.67797 | 0.888 | 0.888 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.61017 | 0.865 | 0.865 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.54238 | 0.843 | 0.843 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.47458 | 0.821 | 0.821 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.40678 | 0.798 | 0.798 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.33899 | 0.775 | 0.775 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.27119 | 0.753 | 0.753 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.20339 | 0.731 | 0.731 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.13560 | 0.708 | 0.708 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.06780 | 0.686 | 0.686 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.00000 | 0.663 | 0.663 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.93221 | 0.640 | 0.640 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.86441 | 0.618 | 0.618 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.79661 | 0.596 | 0.596 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.72881 | 0.573 | 0.573 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66102 | 0.551 | 0.551 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.59322 | 0.528 | 0.528 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.52542 | 0.505 | 0.505 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.45763 | 0.484 | 0.484 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.38983 | 0.461 | 0.461 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32203 | 0.438 | 0.438 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25424 | 0.416 | 0.416 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18644 | 0.393 | 0.393 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.11864 | 0.371 | 0.371 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05085 | 0.349 | 0.349 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.332 | 0.332 | |
| 計 | 平均 | | | 60.00000 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.508 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.69492 | 0.939 | 0.939 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.62712 | 0.921 | 0.921 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.55933 | 0.904 | 0.904 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.49153 | 0.887 | 0.887 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.42373 | 0.870 | 0.870 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.35594 | 0.852 | 0.852 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.28814 | 0.835 | 0.835 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.22034 | 0.818 | 0.818 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.15255 | 0.801 | 0.801 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.08475 | 0.784 | 0.784 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.01695 | 0.766 | 0.766 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.94916 | 0.749 | 0.749 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.88136 | 0.732 | 0.732 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.81356 | 0.715 | 0.715 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.74577 | 0.697 | 0.697 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.67797 | 0.680 | 0.680 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.61017 | 0.663 | 0.663 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.54238 | 0.646 | 0.646 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.47458 | 0.629 | 0.629 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.40678 | 0.611 | 0.611 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.33899 | 0.594 | 0.594 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.27119 | 0.577 | 0.577 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.20339 | 0.560 | 0.560 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.13560 | 0.542 | 0.542 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.06780 | 0.525 | 0.525 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.00000 | 0.508 | 0.508 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.93221 | 0.491 | 0.491 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.86441 | 0.474 | 0.474 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.79661 | 0.456 | 0.456 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.72881 | 0.439 | 0.439 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66102 | 0.422 | 0.422 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.59322 | 0.405 | 0.405 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.52542 | 0.387 | 0.387 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.45763 | 0.370 | 0.370 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.38983 | 0.353 | 0.353 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32203 | 0.336 | 0.336 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25424 | 0.319 | 0.319 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18644 | 0.301 | 0.301 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.11864 | 0.284 | 0.284 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05085 | 0.267 | 0.267 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.254 | 0.254 | |
| 計 | 平均 | | | 60.00000 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.508 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.69492 | 0.892 | 0.892 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.62712 | 0.875 | 0.875 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.55933 | 0.859 | 0.859 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.49153 | 0.843 | 0.843 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.42373 | 0.827 | 0.827 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.35594 | 0.809 | 0.809 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.28814 | 0.793 | 0.793 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.22034 | 0.777 | 0.777 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.15255 | 0.761 | 0.761 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.08475 | 0.745 | 0.745 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.01695 | 0.728 | 0.728 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.94916 | 0.712 | 0.712 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.88136 | 0.695 | 0.695 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.81356 | 0.679 | 0.679 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.74577 | 0.662 | 0.662 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.67797 | 0.646 | 0.646 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.61017 | 0.630 | 0.630 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.54238 | 0.614 | 0.614 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.47458 | 0.598 | 0.598 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.40678 | 0.580 | 0.580 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.33899 | 0.564 | 0.564 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.27119 | 0.548 | 0.548 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.20339 | 0.532 | 0.532 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.13560 | 0.515 | 0.515 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.06780 | 0.499 | 0.499 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.00000 | 0.483 | 0.483 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.93221 | 0.466 | 0.466 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.86441 | 0.450 | 0.450 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.79661 | 0.433 | 0.433 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.72881 | 0.417 | 0.417 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66102 | 0.401 | 0.401 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.59322 | 0.385 | 0.385 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.52542 | 0.368 | 0.368 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.45763 | 0.352 | 0.352 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.38983 | 0.335 | 0.335 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32203 | 0.319 | 0.319 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25424 | 0.303 | 0.303 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18644 | 0.286 | 0.286 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.11864 | 0.270 | 0.270 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05085 | 0.254 | 0.254 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.241 | 0.241 | |
| 計 | 平均 | | | 60.00000 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.507 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.69492 | 0.937 | 0.937 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.62712 | 0.919 | 0.919 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.55933 | 0.902 | 0.902 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.49153 | 0.885 | 0.885 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.42373 | 0.868 | 0.868 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.35594 | 0.851 | 0.851 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.28814 | 0.834 | 0.834 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.22034 | 0.816 | 0.816 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.15255 | 0.799 | 0.799 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.08475 | 0.782 | 0.782 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.01695 | 0.765 | 0.765 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.94916 | 0.748 | 0.748 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.88136 | 0.730 | 0.730 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.81356 | 0.713 | 0.713 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.74577 | 0.696 | 0.696 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.67797 | 0.679 | 0.679 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.61017 | 0.662 | 0.662 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.54238 | 0.644 | 0.644 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.47458 | 0.627 | 0.627 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.40678 | 0.610 | 0.610 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.33899 | 0.593 | 0.593 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.27119 | 0.576 | 0.576 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.20339 | 0.559 | 0.559 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.13560 | 0.541 | 0.541 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.06780 | 0.524 | 0.524 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.00000 | 0.507 | 0.507 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.93221 | 0.490 | 0.490 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.86441 | 0.473 | 0.473 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.79661 | 0.455 | 0.455 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.72881 | 0.438 | 0.438 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66102 | 0.421 | 0.421 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.59322 | 0.404 | 0.404 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.52542 | 0.387 | 0.387 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.45763 | 0.370 | 0.370 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.38983 | 0.352 | 0.352 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32203 | 0.335 | 0.335 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25424 | 0.318 | 0.318 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18644 | 0.301 | 0.301 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.11864 | 0.284 | 0.284 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05085 | 0.266 | 0.266 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.253 | 0.253 | |
| 計 | 平均 | | | 60.00000 | 2.00000 | | | |

(表3) 危険段階別共済掛金率の表 (施設内農作物(一般))

組合等名: 106 水戸地方

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.507 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

| 危険段階区分 | 平均損害率(*)の範囲 (%) | | 危険指数 | | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) | 備考 | |
|--------|-----------------|------|-------|----------|-----------------|---------------|-------|--|
| | | | 圧縮前 | | | | | |
| 20 | 197.5 | ≦* | | 160 | 3.69492 | 0.890 | 0.890 | |
| 19 | 192.5 | ≦* < | 197.5 | 156 | 3.62712 | 0.873 | 0.873 | |
| 18 | 187.5 | ≦* < | 192.5 | 152 | 3.55933 | 0.857 | 0.857 | |
| 17 | 182.5 | ≦* < | 187.5 | 148 | 3.49153 | 0.841 | 0.841 | |
| 16 | 177.5 | ≦* < | 182.5 | 144 | 3.42373 | 0.825 | 0.825 | |
| 15 | 172.5 | ≦* < | 177.5 | 140 | 3.35594 | 0.808 | 0.808 | |
| 14 | 167.5 | ≦* < | 172.5 | 136 | 3.28814 | 0.792 | 0.792 | |
| 13 | 162.5 | ≦* < | 167.5 | 132 | 3.22034 | 0.775 | 0.775 | |
| 12 | 157.5 | ≦* < | 162.5 | 128 | 3.15255 | 0.759 | 0.759 | |
| 11 | 152.5 | ≦* < | 157.5 | 124 | 3.08475 | 0.743 | 0.743 | |
| 10 | 147.5 | ≦* < | 152.5 | 120 | 3.01695 | 0.727 | 0.727 | |
| 9 | 142.5 | ≦* < | 147.5 | 116 | 2.94916 | 0.711 | 0.711 | |
| 8 | 137.5 | ≦* < | 142.5 | 112 | 2.88136 | 0.694 | 0.694 | |
| 7 | 132.5 | ≦* < | 137.5 | 108 | 2.81356 | 0.677 | 0.677 | |
| 6 | 127.5 | ≦* < | 132.5 | 104 | 2.74577 | 0.661 | 0.661 | |
| 5 | 122.5 | ≦* < | 127.5 | 100 | 2.67797 | 0.645 | 0.645 | |
| 4 | 117.5 | ≦* < | 122.5 | 96 | 2.61017 | 0.629 | 0.629 | |
| 3 | 112.5 | ≦* < | 117.5 | 92 | 2.54238 | 0.612 | 0.612 | |
| 2 | 107.5 | ≦* < | 112.5 | 88 | 2.47458 | 0.596 | 0.596 | |
| 1 | 102.5 | ≦* < | 107.5 | 84 | 2.40678 | 0.580 | 0.580 | |
| 0 | 97.5 | ≦* < | 102.5 | 80 | 2.33899 | 0.563 | 0.563 | |
| -1 | 92.5 | ≦* < | 97.5 | 76 | 2.27119 | 0.547 | 0.547 | |
| -2 | 87.5 | ≦* < | 92.5 | 72 | 2.20339 | 0.531 | 0.531 | |
| -3 | 82.5 | ≦* < | 87.5 | 68 | 2.13560 | 0.514 | 0.514 | |
| -4 | 77.5 | ≦* < | 82.5 | 64 | 2.06780 | 0.498 | 0.498 | |
| -5 | 72.5 | ≦* < | 77.5 | 60 | 2.00000 | 0.482 | 0.482 | |
| -6 | 67.5 | ≦* < | 72.5 | 56 | 1.93221 | 0.466 | 0.466 | |
| -7 | 62.5 | ≦* < | 67.5 | 52 | 1.86441 | 0.449 | 0.449 | |
| -8 | 57.5 | ≦* < | 62.5 | 48 | 1.79661 | 0.432 | 0.432 | |
| -9 | 52.5 | ≦* < | 57.5 | 44 | 1.72881 | 0.416 | 0.416 | |
| -10 | 47.5 | ≦* < | 52.5 | 40 | 1.66102 | 0.400 | 0.400 | |
| -11 | 42.5 | ≦* < | 47.5 | 36 | 1.59322 | 0.384 | 0.384 | |
| -12 | 37.5 | ≦* < | 42.5 | 32 | 1.52542 | 0.368 | 0.368 | |
| -13 | 32.5 | ≦* < | 37.5 | 28 | 1.45763 | 0.352 | 0.352 | |
| -14 | 27.5 | ≦* < | 32.5 | 24 | 1.38983 | 0.334 | 0.334 | |
| -15 | 22.5 | ≦* < | 27.5 | 20 | 1.32203 | 0.318 | 0.318 | |
| -16 | 17.5 | ≦* < | 22.5 | 16 | 1.25424 | 0.302 | 0.302 | |
| -17 | 12.5 | ≦* < | 17.5 | 12 | 1.18644 | 0.286 | 0.286 | |
| -18 | 7.5 | ≦* < | 12.5 | 8 | 1.11864 | 0.270 | 0.270 | |
| -19 | 2.5 | ≦* < | 7.5 | 4 | 1.05085 | 0.253 | 0.253 | |
| -20 | 0.0 | ≦* < | 2.5 | 1.00 | 1.00000 | 0.240 | 0.240 | |
| 計 | 平均 | | | 60.00000 | 2.00000 | | | |